



TECHNOLOGY RESOURCE GUIDE

Provided by:

**VISN 8 Patient Safety Center
11605 N. Nebraska Avenue
Tampa, FL 33612-5738
813-558-3900**

<http://www.visn8.med.va.gov/patientsafetycenter/>

Last Revised: 7/28/2008

Technology Resource Guide

Note: Inclusion in this guide does not constitute endorsement by the VISN 8 Patient Safety Center of Inquiry in Tampa or of the Veterans Health Administration. The products in this guide are merely examples of various types of equipment available in the marketplace at a particular period in time. *We have no more information about particular equipment, purchasing or contracting than is presented here. Please do not request purchasing information from this office. The manufacturer's listing shows the URL for their web site. We do not provide links to those sites in this document.*

TOP

Choose Category:

- [Safe Patient Handling Equipment](#)
- [Beds by Care Setting](#)
- [Equipment by Task](#)
- [Manufacturer's Listing](#)

Safe Patient Handling Equipment (click on link to go to listing):

Standard Equipment	
Air Assisted Lateral Transfer Aids	Bed Systems (Frames/Surfaces/Assist Devices/Other Bed Safety Devices)
Car Lifts/Vehicle Extraction	Ceiling Lifts
Dependency/Geri/Specialty Chairs/Wheelchairs	Floor-Based Lifts
Friction Reducing Lateral Transfer Aids	Gait Belts w/Handles
Lifts (Other)	Mechanical Lateral Transfer Aids
Other Mobility Aids	Powered Standing Lifts
Repositioning Devices	Sliding Boards
Slings	Standing Assist Aids
Transport Devices/Powered Beds	
Bariatric Equipment	
Bariatric Ambulatory/Mobility Aids	Bariatric Bathing Equipment (Other)

<u>Bariatric Beds/Mattresses/Transportation</u>	<u>Bariatric Ceiling Lifts</u>
<u>Bariatric Commodes/Shower Chairs</u>	<u>Bariatric Lateral Transfer Systems</u>
<u>Bariatric Repositioning Systems</u>	<u>Bariatric Powered Lifts</u>
<u>Bariatric Standing Assist Aids</u>	<u>Bariatric Transfer/Dependency Chairs and Cushions</u>
<u>Bariatric Wheelchairs</u>	

[↑ TOP](#)

Air Assisted Lateral Transfer Aids[↑ TOP](#)

Air Assisted Lateral Transfer Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Airpal Patient Air Lift /Airpal Patient Transfer Systems	A flexible nylon mattress that allows lateral transfers of patients from bed to stretcher by the release of low air pressure through a patented chamber.	Patients remain on transfer pad for all ancillary products, including radiology, CT scan, radiation therapy, heart catheterization, physical therapy, labor and delivery.
Hovermatt /Hovertech International	A waterproof, anti-bacterial anti-stain, nylon mattress that allows for lateral transfers of patients.	No weight limit.
Heat Sealed Hovermatt /Hovertech International	A waterproof, anti-bacterial anti-stain, nylon mattress that allows for lateral transfers of patients.	Eliminates needle holes and sew lines to address infection control issues.
Double Coated Hovermatt /Hovertech International	A waterproof, anti-bacterial anti-stain, nylon mattress that allows for lateral transfers of patients.	Water repellent and stain resistant. Can be used in OR, labor and delivery, etc., where there are excessive body fluids.
Hovermatt Half Matts /Hovertech International	A waterproof, anti-bacterial anti-stain, nylon mattress. Measure 45" long ending just beneath the buttocks.	Made for special procedures: cystology, labor & delivery and other gynecological procedures.
Hovermatt Hovermaxx Transfer System /Hovertech International	A waterproof, anti-bacterial anti-stain, nylon mattress that allows for lateral transfers of patients.	Intended for use with a convertible chair.
AirSlide / McAuley Medical, Inc.	Dual-technology lateral transfer system. Air mattress and slide sheet all in one.	Absence of air holes, stitching and Velcro decreases infection control issues.

Bed Systems[↑ TOP](#)

Bed Systems PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Century + Bed/Hill-Rom, Inc.	Patient transport.	Auto contour helps patient from sliding down in bed
Bed Check/Bed Check Corp.	Chair Check II automatically arms itself upon detecting weight on the Sensormat®. Used for either chair, bed, or toilet.	Selectable alarm sounds can be used for high risk patients.
Clinitron II Air Fluidized Therapy Unit/Hill-Rom, Inc.	Serves multiple sites affected with pressures ulcers, wounds and surgical flaps and grafts.	Faster healing of stage III or IV pressure ulcers, and optimal patient comfort.
Hi-Low Bed/Transfer Master Products, Inc.	Has a transfer height of as low as 14"	Has the capacity to sit someone to almost 90 degrees.
PressureGuard® APM2 Safety Supreme™ / Span America	Multi-mode air therapy with raised safety perimeter.	Switch from alternating pressure to lateral rotation or powered flotation.
Resident® LTC Bed/Hill-Rom, Inc.	Designed for long term care. Available in manual, partially electric and fully electric models.	Automatic contour positioning maintains proper patient posture in bed. Knee automatically articulates to 15 degrees when the head is raised to prevent sliding and reduces repositioning.
Secure II Chaperone/Stryker Medical	Provides patient transport.	Ability to lower the bed to 15.5" and use side rail position to assist the patient out of bed.
SM304 Stretcher/Stryker Medical	Transport of patients done by one person.	Centrally located drive wheel improves cornering and minimizes turning effort.
Total Care Bed System/Hill-Rom, Inc.	Used to assist patients in ambulation, repositioning and transfers.	Caregivers can customize the overall length of the bed.

Dependency/Geri/Specialty Chairs/Wheelchairs

[↑ TOP](#)

Dependency/Geri/Specialty Chairs PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
ATC100 /Assistive Technology Inc.	Chair designed for access to the beach and other environments, as it has balloon tires.	Easily disassembles for transport and storage.
Care Chair / Camtec Division of Cambridge Technologies, Inc.	Converts from chair to stretcher laterally and eliminates patient transfers.	Sitting on the head end will not tip. Available in regular and bariatric models.
Care Cliner /Medcor Corp.	Used in dialysis, blood collection, geriatric care, oncology, respiratory, critical care and cardiac rehab.	Pressurized gas cylinder helps elevate back from deep recline position. Arms adjust for lateral transfers.
Carendo / Arjo, Inc.	Multipurpose hygiene chair for showering, dressing and undressing, changing of incontinence pads and toileting.	Handset-controlled, height-adjusting and recline features.
Clinical Recliner /Invacare	Provides patient seating. Used in patient procedures such as dialysis, blood collection, day surgery, EEG/EKG care, oncology, outpatient clinic, E.R., room and maternity.	Varied density foam cradles the patient to sustain proper positioning and posture.
Day Chair /Flaghouse	Chair designed for individuals who sit for a long time and need thick padded support.	Arms are extra large and provide padding at the rear, and extends forward for a secure hand-hold.
H-Frame Bouncer Wheelchair /21 st Century Scientific, Inc.	Power chair provides transport for the user in rain or snow without slipping.	H-frame uses 2.5" by 1.5" by .125" wall steel-TIG welded for superior strength.
HTR Tilt and Recline Chair /Invacare Corp.	Provides transport and a range of angles in tilt adjustment, which allows the user to redistribute body weight as needed.	Fold down back provides easy access to personal grooming and transfers.
Medcor Dialysis Chairs /Medcor	2 folding side tables, (4) 5" casters, built-in lumbar support.	Swing-away arms for lateral transfers.
Mobile Convalescent Recliner /Flaghouse	Provides three positions: an upright, elevated feet and full recline.	Built in moisture barrier on seat prevents seepage. Arms drop for lateral transfers.
Rock-King /SMT Health Systems	A wheelchair that allows the user to rock back while seated with dual positions.	Dual position rocker lock and rocking mechanism.
Stretcher Chair / Stryker Patient Handling	Used to move patients from a prone position to a seated one.	Ergonomic seat tilt allows a recliner position, 24" wide and 74" length patient surface.
Tilt-n-Space Recliner /SMT	Converts from seated to reclining position.	Removable armrest option

Friction Reducing Lateral Transfer Aids

[↑ TOP](#)

Friction Reducing Lateral Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Arjo Maxislide /Arjo, Inc.	An ergonomically-designed device having ultra-low friction properties, that will aid caregivers in moving or positioning patients while at the same time encouraging good posture without causing undue stress to either the patient or the caregivers.	Once the patient has been moved up in bed, there is minimal risk of them sliding back down again after being released.
Rollboard / McAuley Medical, Inc.	Utilizes a conveyor belt action to move a patient from surface to surface easily.	Anti-microbial, anti-static material. Disposable cover sheet
Easy Slide / RoMedic	Used for transfers between beds and x-ray or operating tables, shower trolleys, and cots.	Soft, padded outer surfaces and ultra low friction (ULF) material on the inner surface reduce friction. Disposable covers of degradable polyethene are available.
ErgoSlide LT4400 /Ergosafe	One piece non-mechanical device to laterally transfer from one surface to another without involving multiple caregivers, lifting the patient, or using mechanical equipment.	One piece heavy-duty nylon tube with four sets of handles that folds for easy storage.
Lateral Transfer Aid /Phil-E-Slide	Used to move a supine patient from one level flat surface to another.	Has six durable handles where pull straps are attached.
Repositioning Systems /Waverley Glen	Range of sliding sheets, transfer boards, and repositioning aids.	Allows for safe transfer and repositioning, for both bariatric patient and caregiver.
Rollerslide / RoMedic	Used for lying transfers between a bed and x-ray or operating tables, shower trolleys, ambulance stretchers (or similar transfers).	Flexible board and slide cover made from ultra low friction (ULF) material. Bridges gaps of 20 cm and can take a weight of 120 kilos. Disposable covers made from degradable polyethene are available.
Ross MaxiMove /Romedic	Turn or reposition the patient up or down in bed.	Can be used in emergency evacuation.
Safety Sure™ Transfer Slide /Scan Medical	A padded tube of fabric used to transfer a patient from one surface to another without lifting.	Various sizes allow use in different situations and with varying dependency levels of patients.

Friction Reducing Lateral Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Shaped Flat Slide Sheet Sets/Phil-E-Slide	Helps caregivers reposition patients in bed, transfer them laterally from one surface to another, or encourage independent patient transfer with greater ease.	Integral anti-bacterial and anti-fungal tape sewn into seams and handles to reduce risk of infection.
Slide Mat/Slide-Mat	Eliminates the need for lifting or log-rolling to effectively transfer or reposition.	Comfortable, radiotranslucent, compact and lightweight.
Slipp Patient Mover/Wright Products	Used for patient repositioning and transfers.	Easy portability (4 lbs.) and storage.

Gait Belts with Handles

[↑ TOP](#)

Gait Belts with Handles PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Easy Belt/Flexi Belt / RoMedic	Used for sitting transfers or for supporting when standing and walking.	Easy Belt is made of moisture- and soil-resistant nylon. Flexi Belt has a polyester surface against the body. Strong vertical and horizontal handles provide the best possible grip in different situations.
ErgoBelt™/ErgoSafe	Assists caregivers while walking a patient.	Allows caregivers to assist properly when walking with a patient and boosts confidence in the patient's ability to move.
ErgoBelt Plus/ErgoSafe	Assists a patient from a sitting position to a standing position or for walking exercises.	Containing thick additional padding for added comfort to the patient, the belt promote proper ergonomics to help reduce injury to the caregiver.
Lift-Easy Transfer Belt/Ali-Med Inc.	Used to transfer patients from one position to another.	Additional leverage when thigh straps are wrapped in place.
Posey Gait and Transfer Belts/Posey Company	Positioning aid offers medium support for residents requiring extensive upper trunk control.	One size fits all: there are five adjustments.
PT Gait Belt/Flaghouse	Belt used for patient transfers	Available in adult and child sizes. Can be used under water.

Lifts (Other)[↑ TOP](#)

Lifts (Other) PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Anderlift/Andermac, Inc.	Complete bedside treatment system that lifts, transports, bathes weighs and turns.	Multi functional- a bather, bed scale, transportation system, power patient lift and turning system.
Miranti/Arjo, Inc.	Part of the totally integrated height adjustable bath system.	Powered backrest
PAL Portable Aquatic Lift/RMT Aquatics	Assortment of completely portable and deck mounted semi-portable, battery operated pool lifts	Make any pool or spa accessible, and can be conveniently stored away when not in use.
Personal Transfer Lift/Access Unlimited	Lift works by a 12 volt motor with the power from the electrical system of your car to perform transfers (car, bath, home)	The sling requires no lifting. Available in all types and sizes.
Pool Lift/Aquatic Access, Inc.	The AG48WP mounts to a wood post that is sunk 30" in the ground and cut off at pool height.	Manual 360 degree seat turn
Skyhook/THE Medical	600 lb. capacity electric swivel lift.	Requires virtually zero lift space
Wall to Wall Lift/SureHands Lift & Care Systems	A motorized lift and care system that is portable from room to room.	Wall mounting makes it possible to maximize floor space.
Wheelchair to Water 1000/SureHands Lift & Care Systems	Lift is used to transfer people from wheelchair to pool.	No sitting balance, shoulder or muscle strength is needed from the patient.
Wheelchair to Water 2000/SureHands Lift & Care Systems	Uses an overhead track. Offers complete vertical and horizontal range of motion.	Push button control allows some people to move out of their wheelchairs, into the water and back again.

Mechanical Lateral Transfer Aids

[↑ TOP](#)

Mechanical Lateral Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
PowerNurse™ / Astir Technologies	Conveyor belt device that allows caregiver to transfer patient without lifting. Remote control device allows you to select three modes of belt control.	Faster transfers, decreases nursing MSD injuries. Hand-held remote control.
PRS / BAMS Manufacturing	Device that can be attached to a bed or procedure table to do lateral transfer or reposition the patient up in bed.	Requires only one caregiver. Attachment available to rotate the patient or can use a sling to support arm or leg.
Safe T Trans /Barton Medical Corp.	Device enables a non-ambulatory person to be transferred from surface to surface.	Can be use in various positions e.g. as a bed, gurney bed, lounge chair, or wheelchair.
Totalift 2 /Wy'East Medical	Transfer of your patient laterally from bed to stretcher without lifting, then adjusts to a sitting or reclining position.	Converts from a chair to a horizontal stretcher position.
Totalift PTS /Wy'East Medical	Uses the Wy'East Medical patented system to carry the patient from bed to stretcher with no lifting.	Integrated bumper system cushions jolts and reduces damage to hospital furniture.

Floor-Based Lifts

[↑ TOP](#)

Floor-Based Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Anderlift Lift and Transport System/Andermac	When lifted, transported, weighed or bathed, the patient is resting on a "hammock" created by a custom sheet and nestled in the frame.	Four pieces of equipment in one - a bather, bed scale, transportation system and power patient lift. Up to 800 lb. capacity
Camel/Mangar USA	A battery operated pneumatic lifting cushion. Lifts a patient weighing up to 700 lbs. from the floor. With back rest.	Compact, lightweight, can be used in tight spaces, such as closet or bathroom; may be used outdoors.
Eik/Manger USA	A battery operated pneumatic lifting cushion. Lifts a patient weighing up to 1,000 lbs. from the floor. Without back rest.	Compact, lightweight, can be used in tight spaces such as closet or bathroom; may be used outdoors.
Ergolift/BHM Medical	A floor lift used for bariatric patient lifts.	Patient has sufficient leg room to be rotated 360° even at maximum height.
Eva450 / RoMedic	Mobile patient hoist to lift from a seated or prone position. Can be used for gait training.	Lightweight aluminum. Can lift up to 205 kg. Batteries have a long operating time.
EZ Lift/EZ Way, Inc.	Battery powered electric patient lift for patient transport	Built in digital scale
Golvo 7000S/Liko North America	Used to transfer patients up to 440 lbs.	Parallel base and lift strap suspension.
Hoyer Power Patient Lifter 402/Sunrise Medical	Lift for patient transfers of up to 400 lbs.	Angular design and a non-sway cradle for extra stability. Unit disassembles for convenient storage
Hydraulic Lift 9805/Invacare	Versatile lift for all patient moves with weight limit of 450 lb.	Easy disassembly allows quick transport and setup.
Lexa Lift/Horcher Lifting Systems	Lift with electronic hand control.	Patient positioner is designed to reposition patients without being lifted.
Lift Aid 2000/Lift Aid	Designed free-standing lift uses 8 square inches of floor space.	Soft start and stop operation
Maxi Twin/Arjo, Inc.	Enables nurse to lift patient off the floor.	Dynamic Positioning System (DPS) which can lift the patient from the floor without having to lift the patients head or back to attach the sling and a soft stretcher which is able to lift patients from the floor in the supine position where more precaution is necessary.
Medcare Lift/Medcare Products	Transfers patients of up to 400	Expandable base design

Floor-Based Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
	lbs.	
Medi Lifter 4 /Medi Man Rehabilitation Products, Inc.	Total lift system that transfers patients up to 600 lbs.	Ergonomic foot control for base opening
Medline Electric Elevating Lift /Medline Industries, Inc.	Battery-operated lifts used to transfer patients up to 600 lbs. 6-point cradles, broad lifting ranges. Sling made of soft, easy-to-clean, long-lasting polyester material.	Low-profile base legs; 6-point sling cradles.
Molift Partner 230/255 /Molift Inc.	Battery operated, lifting capacity up for 505 lbs. (230) and 560 lbs. (255) with 4-point suspension, vertical lifting column, lifts from floor, bed, or sitting. Works with Molift Stretcher, Molift Scale & Supporting Arms available as accessories.	Automatic service warning (counts lifts and alerts user when it is due for service), emergency stop, electronic & manual lowering standard on all lifts.
Molift Partner 205 /Molift Inc.	Battery operated, lifting capacity of 450 lbs., 4-point suspension, 70" lifting capability from the bottom of the suspension that lifts from floor, bed, or sitting. Molift Stretcher, Molift Scale & Supporting Arms available as accessories.	Automatic service warning (counts lifts and alerts user when it is due for service), emergency stop, electronic & manual lowering standard on all lifts.
Molift Partner 3 /Molift Inc.	Battery operated, lifting capacity of 350 lbs., 4-point suspension, and vertical lifting movement from the floor, bed or sitting. Molift Stretcher, Molift Active Raiser, Molift Active Walker, Molift Scale available as accessories.	Low chassis; adjustable legs, electronic & manual lowering standard on all lifts.
Molift Smart /Molift Inc.	Battery operated, lifting capacity of 330 lbs., 4-point suspension, portable, comes with two pieces and assembles without tools. Two lifting speeds.	Can lift from floor; weighs 55 lbs. w/battery. Folded size: 45x19x14." Hard-sided transport case available for travel.
Series 4 Volaro Lift /SMT Health Systems	Lifts patient from floor, commode, wheelchair, bed and recliner.	Manual override, 400 lb. Rating
Pro-Med Floor Lifts /Pro-Med	Lifts patients over 4 feet and has generous clearance to turn patient 360 degrees at maximum height	Available in single and twin boom designs.
Ready Care Lift /NorAm Patient Products Ltd.	Hydraulic all-purpose lift for patients up to 550 lbs.	No belts under buttocks or swinging motion. Available in electric or hydraulic operation

Floor-Based Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Rino 600EE / RoMedic	Mobile patient hoist. Used for seated and prone transfers as well as gait training.	Maximum lift of 600 lbs. Made of steel and aluminum. Impact-resistant finish. Can be used in car transfers.
RPA 450-1 /Invacare Corporation	Battery powered lift that transfers for residents up to 450 lbs.	Higher lift range allows easy access to beds, chairs, toilets etc.
RHA 450-1 /Invacare Corporation	Hydraulic lift supports patients up to 450 lbs.	360 degree rotation without side to side sway
RPA 600-1 /Invacare Corporation	Designed to transfer patients up to 600 lbs.	Unique sling fabric
Stedy /Arjo, Inc.	Allows the patient to simply and safely stand themselves.	Lightweight and compact design.
Sure Hands Mobile Lift /Surehands Lift & Care Systems	Multi purpose lift with extendable vertical lifting range.	Ergonomic handle bars for smooth steering
Titan X /THE Medical	Bariatric mobile lift with dual controls, power base widening, emergency manual lowering, 4 pt. spreader bar, performs floor lifts.	1,000 lb. capacity
Ultra Lift 3500x and 1500 /THE Medical	Mobile lifts with 5- or 6-point spreader bar, and power base widening	3500x has 600 lb. capacity, 1500 has 500 lb. capacity
Total Lift MPL Vertical Lift /Wy'East Medical	Offers a 450 lb weight capacity to lift patients vertically.	Foot pedal pump drives hydraulic lift with no dependency on outside power sources.
Total Lift PPL Portable Lift /Wy'East Medical	A vertical transport system for patients, can perform lateral transfers and transform into a chair.	Portable
Uno Lift /Liko North America	Mobile lift used for transfers	Smaller lift designed for confined spaces.
Vanderlift 450 /Vancare, Inc.	Tip-resistant lift for residents from pediatric to 450 lbs.	Auxiliary toe-operated controls for lowering or raising resident in a power failure
Vanderlift II /Vancare, Inc.	Battery powered lift for patients	Optional scale weighing up to 600 pounds.
F550 Total Lift /Waverley Glen	Electronic stand aid and transfer device.	Dual wheeled castors, legs spread to allow more stability.

Ceiling Lifts

[↑ TOP](#)

Ceiling Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Maxi Sky 440/Arjo, Inc.	Lifts up to 440 lbs. Allows “swing” transfer of life cassette and patient from one track to another.	Portable.
Maxi Sky 600/Arjo, Inc.	Ceiling lift, lifts up to 600 lbs. Soft start and stop motor control.	Emergency stop and lower devices.
Maxi Sky 1000/Arjo, Inc.	Allows a single caregiver to perform transfers of bariatric residents under handset control without stress or strain and with no manual lifting.	Can be mounted on semi-permanent gantry or permanently mounted in the ceiling.
Ceiling Lift System/Guldman, Inc.	System is available as a free-standing removable unit, or as a wall/ceiling mounted system for patient transfers.	Ceiling mounted lift does not take up floor space
Likorail/Liko North America	Handles even the heaviest lifting assignments: single motor lifts up to 507 lbs., dual motor version lifts 1,014 lbs.	Self-braking motor. Lift stops automatically if power is interrupted. Available in single- or multi-track and room-to-room.
Molift Hi-Trac 2002/2002+, 2004/2004+/Molift, Inc.	2002/2004: Lifting capacity of 350 lbs., 2002+/2004+: Lifting capacity of 660 lbs. 2002/2002+: Performs vertical lifts. Caregivers take care of horizontal movement. 2004/2004+: Vertical lifting and horizontal movement are motorized.	Automatic Service Warning; 4-point suspension; comes with or without motor drive for all models; battery operated; charges through hand control. Rails: curve down to 16” radius, special curves on request. Secured against overloading; emergency stop and lowering.
Molift Nomad 255/Molift, Inc.	Battery operated, weighs 15 lbs. including battery with lifting capacity of 560 lbs. Lifting height of 6.5 feet. Uses same rail system as Molift Hi-Trac.	4-point suspension integrated into lifting motor; integrated handles; climbs from room-to-room. Secured against overloading; emergency stop and lowering.
UniLift/Horcher Lifting Systems	Available in 350 and 500 lb. capacities. Patients with sufficient upper body strength may operate lift independently.	Can use one lift in a variety of locations and an unlimited number of track configurations
UniLift PC-2/Horcher Lifting Systems	Lift motor up and down while caregiver moves lift along the track with a finger push.	Weight of 18.5 lbs. and is portable.
The Lift-Aid 2000/Lift-Aid, Inc.	Fixed gantry system for patient transfers of up to 500 lbs. Also available up to 1,000 lb. for bariatric patients.	Free-standing, unattached unit allows transfers in all directions.
Pinnacle III/THE Medical	Heavy duty fixed lift w/an extra	1,000 lb. capacity.

Ceiling Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
	wide, extra long lifting strap for safety. Includes dual controls, emergency down, curtain pass-through & standardized face plate.	
Rise 450m / RoMedic	Ceiling track hoist. Can be used on a single track with or without curves and switches or a traverse/gantry system.	450 lb. capacity. Battery charge life display. Emergency stop function and emergency lowering. Automatic switch off after 2 min. when not in use.
Rise 625t / RoMedic	Built in traverse motor for powered travel along the track. Can be a single track, with or without curves and switches, or a traverse/gantry system.	625 lb. capacity. Battery charge life display. Emergency stop function and emergency lowering. Automatic switch off after 2 min. when not in use.
Stratus Portable/THE Medical	Portable ceiling lift with all metal drive trains; auto leveling/6 point spreader bar; extra wide/extra long lift strap; dual controls; emergency stop; curtain pass-through; integrated lift counter; weigh scale option.	600 lb. lifting capacity.
Track to Track 100/SureHands Lift & Care Systems	A transfer device that works by rollers gliding smoothly in a track. Lifts up to 400 lbs.	Can be used in multiple locations.
Waverley Glen C-625/Waverley Glen	Track mounted battery powered lift with automatic battery conservation; 625 lbs. capacity; can be operated by single caregiver.	Quick lifting speeds; emergency stop and lowering; emergency manual raising or lowering.
Waverley Glen P-425/Waverley Glen	Portable ceiling lift; Can be operated by single caregiver; 425 lbs. capacity.	Safety mechanisms including over-speed governor, built-in safety limits, slack strap sensor and emergency lowering.
Sequoia/Waverley Glen	Self-contained portable free standing track system. Adjustable in height and length. 400 lbs. capacity.	Multi-level capabilities for uneven surfaces with variances up to 24".
Transactive Plus/Waverley Glen	Lift, position and transfer system. Lifts up to 800 lbs. Manual or power traversing models available.	Quick-fit scale option.
Voyager/BHM Medical, Inc.	Ultra thin lift offering maximum height clearance for transfer of patients.	Automatic repositioning system. Lifting capacity of 550 lbs.
Voyager Portable/BHM Medical	Lift enables the transfer of a patient from a bed, chair or floor.	"Quick Release" feature allows disengagement of the strap and

Ceiling Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
		quick install or removal of the lift from the track.
EZ Ceiling Lift / EZ Way, Inc.	Fixed motor or portable models. Weight capacities ranging from 400 to 1,000 lbs.	Curtain track pass-through feature; many track configurations available.

Powered Standing Lifts

[↑ TOP](#)

Powered Standing Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Sara 3000 /Arjo, Inc.	Lifts Up to 440 lbs. Dual controls; low-friction castors; foot plate ensures stability and safety.	Integrated scale option.
Sara Plus /Arjo, Inc.	Advanced patient support features promote mobility. Lifts up to 440 lbs.	Widens range of residents who can enjoy mobility-activation benefits, and can provide balance, stepping and walking training.
Ergostand /BHM Medical, Inc.	Motorized system for patient transfers.	Multi-positioned handles close to caregiver and non-skid foot base.
EZ Stand /EZ Way, Inc.	Designed specifically to facilitate toileting for weight bearing patients.	Used as a walker, standing table, and transfers from chairs to wheelchairs to beds.
Liftem /Millennium Medical Products, Inc.	Portable patient lift and transfer system. Capacity of up to 700 lbs.	No physical movement of the lift is required to transfer patients.
Med-Fit Transporter /Med-Fit Systems, Inc.	Two-in one mobility aid: walker component and lift component	Combination walker and total lift
Medi-SSL 2 /Medi-Man Rehabilitation Products, Inc.	Sit-Stand transfer system with a 400 lb. capacity	Can weigh a client in any position. Facilitates transfers in confined areas.
Medline Stand Assist Lift /Medline Industries, Inc.	Battery operated lifts used to assist patients up to 600 lbs. by securely harnessing the patient into a padded sling.	Low-profile base legs; 6-point sling cradles.
Molift Quick Raiser 1 (QR1) /Molift, Inc.	Battery operated; lifting capacity of 350 lbs. Lifts up and forward. Can be used for toileting, sit-to-stand and stand-up training.	Weighs 66 lbs.; slanting column; low legs. Accessories include sandals, height adjustable footboard.
Molift Quick Raiser 2 (QR2) /Molift, Inc.	Batty operated; lifting capacity of 440 lbs. Lifts up and forward. Can be used for toileting, sit-to-stand and stand-up training.	Weighs 80 lbs.; adjustable legs; reinforced, adjusting lifting arm. Arms and legs can be interchanged with other Molift Quick Raisers.
Raisa Lift /Horcher Lifting Systems	Has a 350 lb. lifting capacity for patient transfers.	Can bring patient into a reclined position while in the sling for a bed transfer.
Ready Stand /NorAm Patient Care Solutions	Open design lift for easy toileting of patients	Foot pedal designed for easy opening and closing of legs.
Reliant Stand Up Lift /Invacare Corporation	Serves a range of dependency levels in transfers.	Multi-functional slings allow it to be a standing lift or seated transfer lift.
Rena 450EE / RoMedic	Used with the appropriate stand up sling to stand, pivot, transfer and move a patient up to 440 lbs.	440 lb. capacity. Available with a scale. Battery-powered lift, powered raise and lower as well as power leg spreading operated

Powered Standing Lifts PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
		by hand control.
Riseup 600 / RoMedic	Adjustable shin pad to facilitate proper support to the patient being transferred.	600 lb. capacity. Scale available. Extra wide shin support and foot tray for bariatric patient.
Sabina Lift / Liko North America	Sit-Stand lift for users who can actively participate in transfer process.	For load training, promotion of circulation and stimulation of natural body functions.
Sarita / Arjo, Inc.	Used to raise patients to a standing position or prepare them for toileting.	Automatic safety stop if lowered onto an obstacle.
Stand Aid / Stand Aid of Iowa, Inc.	Device for physically challenged individuals. Allows users to be vertically stabilized with 100% weight bearing	Accommodates individuals 4'2" to 7' tall up to 400 lbs.
Stand-N-Weigh / Medicare Products	Patient is weighed during a transfer	Changing garments is faster in a standing posture.
The Vera / Vancare, Inc.	Helps patients into a standing position.	350 lb. capacity and adjustable foot and knee stand. Also available in 600 lb. capacity.
S-440 Sit-to-Stand / Waverley Glen	A stand aid and transfer device. Electronically controlled, designed for clients with reduced mobility and physical strength. Ideal for dressing and toileting applications. 440 lb. capacity.	Provides dull body support to raise a client effectively in the most natural standing movement available.
Total Lift PPL Lift / Wy-East Medical	Designed for use outside the hospital environment, it can transfer patients laterally from the bed, then transforms into a chair for easy transport.	330 lb. capacity

Sliding Boards

[↑ TOP](#)

Sliding Boards PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Durable Wood Transfer Board / Composite Medical Distributors	Lightweight transfer board; 250 lb. capacity; 8" wide; lacquer finish.	Available in 13", 18", 24", 27" and 30" lengths, with or without hand holes.
Easy Glide / RoMedic	Used for transfers between wheelchairs and beds, toilets, and car seats.	Made of strong, flexible polyethylene. Anti-slip tape on the underside prevents the board from sliding during transfer. Available in four sizes.
Patient Transfer Shifter / Total Medical Systems, Inc.	Smooth polyethylene board used for transfers from bed to stretcher to table.	Slip coating prevents patient from sticking to the mover. Comes in 18" for narrow width, weighs 7 3/4 lbs.
Transfer Boards /Flaghouse	Transfer board used to transfer patients from wheelchair to chair or bed.	Notched board hooks onto wheelchair for added safety while hand holes make moving easier.
UltraSlick® Transfer Board / Composite Medical Distributors	Lightweight transfer board; Composite outer layer; 250 lb. capacity; lacquered finish on back to allow for easy placement.	Outer layer never requires waxing or refinishing. Available in 18", 24", 27" and 30" lengths—with and without holes.

Standing Assist Aids

[↑ TOP](#)

Standing Assist Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
ArcoRail / ArcoRail System	Used for repositioning patients and providing assistance getting in and out of bed.	Handrail that rotates 360 degrees and locks in four positions.
Bed-Bar /Brown Engineering Corp.	Support rail people use for assistance in and out of bed.	Applicable for people of any age or physical condition, short-term or long-term use.
Bed Handles /BedSide Assistant	Assist patients get out of bed. Handles are 20" wide and 16" up from the box spring.	Does not need to be raised and lowered. Can be used on any bed.
Easy Pivot Lifts /Rand-Scot, Inc.	Device used for transfer of patients from a wheelchair to a chair or bed.	Wide wheel base reduces chance of tipping.
Easy Stand 5000 / Altimate Medical, Inc.	Used for individuals who can transfer independently and have upper body balance and strength.	Base has a powder coat finish with level glides to adjust for uneven floors.
Easy Stand Magician / Altimate Medical, Inc.	Standing lift for children from 32" to 56" tall; functions as a desk and a stander.	Activity tray and front support padding while sitting and standing.
Econo Stand / Stand Aid of Iowa, Inc.	Hand operated hydraulic lift used to aid users from a wheelchair to standing position.	Allows users to be vertically stabilized with 100% weight bearing.
Life Stand Wheelchair / LifeStand USA	Fully motorized chair allows transfers from sitting to standing with power assistance and allows mobility in either position.	Remote swing away joystick allows for easier access to tables and desks.
Outta Bed™ / InvisibleCaregiver Innovations, LLC	All-in-one multi-functional bed mobility tool with height-adjustable grab bar.	Encourages patient participation in movement; improves performance in bedside ADLs and bed mobility activities. Attaches to left- or right-hand side of bed.
Return 7500 / RoMedic	Used to lift or transfer care recipients that still have some strength left to or from beds, wheelchairs or toilets.	Can be used in a rehab unit for activating care recipients.
Safe-T-Pole / Care Catalog Services	Floor-to-ceiling pole assists with standing, sitting, transferring, or climbing stairs.	No tools required for installation.
SuperPole / Healthcraft Products, Inc.	The pole is held solid by a jackscrew expansion between floor and ceiling. The pole provides assistance in standing or moving.	No need for wall mounts, versatile- can be used beside a bed, bath, toilet, or chair
Steady Aid 3500x and 1500 / THE Medical	Sit-to-stand mobile lift with dual controls, removable foot plate &	450 lb. capacity with leg support harness.

Standing Assist Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
	knee pad, calf strap, power base widening.	
Travel Handle / Mobility Transfer Systems, Inc.	Helps prevent falls and injuries, assists with balance and standing. Made of steel, and mounted to a bed board.	For people up to 250 lbs. and use a walker, bedside commode, or wheelchair. Removable handle.
Uplift Seat Assist / Uplift Technologies, Inc.	Assist user to get up easier from a surface.	Portable and weighs only 9 pounds.

Other Mobility Aids[↑ TOP](#)

Other Mobility Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Van Entry Systems / Braun Corporation	Designed for full-size and minivans for level transfers from wheelchair or scooter to seat.	Rotation of the seat up to 140 degrees.
Archimedes /Mangar USA	Battery operated bath lift. Lifts a person weighing up to 330 lbs.	Lightweight, portable, comes apart for travel.
Comfort Bather /Mangar USA	A battery operated pneumatic bath lift, lifts a person weighing up to 300 lbs.	Lightweight, portable. Lowers person to the bottom of bath tub.
FlexiGrip / RoMedic	Used when getting out of bed or when making transfers.	Made from nylon that resists soiling so it can lie in the bed without being in the way. Fits using a loop at the foot end of the bed.
Lift and Transport System / Anderlift	When lifted, transported, weighed or bathed, the patient is resting on a "hammock" created by a custom sheet and nestled in the frame.	Four pieces of equipment in one - a bather, bed scale, transportation system and power patient lift. 500 lb. capacity.
Cart Caddy Lite / DJ Products	A battery powered, electric tug designed with enough power to push or pull carts that can typically be pushed or pulled by one person.	Designed to prevent the strains and pains often associated with manually pushing and pulling heavy carts and equipment. 1,500 lb. capacity.
Cart Caddy Shorty / DJ Products	A battery powered, electric tug designed with enough power to push or pull carts that can typically be pushed or pulled by one person.	Designed to prevent the strains and pains often associated with manually pushing and pulling heavy carts and equipment. 3,000 lb. capacity.
Outta Bed™ / InvisibleCaregiver Innovations, LLC	All-in-one multi-functional bed mobility tool with height-adjustable grab bar.	Encourages patient participation in movement; improves performance in bedside ADLs and bed mobility activities. Attaches to left- or right-hand side of bed.
PowerPal 1000 / Dane Technologies	A workplace safety solution that eliminates the strain and pain of pushing/pulling heavy wheeled loads, battery powered; custom hitches; handles up to 2,000 lbs.	Compact & low profile, clean look, easy maneuverability and quick operation. With ergonomic design and quick to learn features.

Other Mobility Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Primo Ferro / Arjo, Inc.	Adjustable height bathing system.	For treatment of burns and skin conditions.
Wheelchair Mover / Dane Technologies	Power-assisted wheelchair mover	Powered device assists in making wheelchair transport safer for the operator especially up and down ramps to reduce potential injury or physical strain.
Electra-Ride II / Bruno Independent Living Aids	Battery powered stair lift for patient transport.	Safety sensor foot plate and a 45 degree rotation seat at both top and bottom of stairs. Accommodates up to 350 lbs.
PTS (Patient Transport System) / ERGOtug (division of NuStar, Inc.)	Eliminates stress on arms, back , shoulders and wrists while moving hospital beds and stretchers, with or without patients.	1,600 lb. capacity. It fits into most elevators with the bed attached.
LiftnWalk™ / LiftnWalk LLC	Lifts from sitting, supports while walking and lowers safely.	This unique and patent pending design fills the gap between conventional gait walkers and mobility and transporter devices designed for confined area lifting and limited gait walking.
Nautica Bath Lift / BHM Medical	Used for the transport of patients into a bath tub.	Compact and lightweight.
Slider Shower Chair / Assistive Technology, Inc.	Gives patient support in the bath- tub. Rolling shower chair with interlocks with removable support frame.	Rolls directly over any commode, works with all standard size tubs.
Statmover / Statmover	Transports carts, stretchers and other hospital equipment.	Easily stretcher with 600 lb patient.
Swivel Bather / Assistive Technology, Inc.	Designed for those with difficulty lowering into and rising out of the bathtub. Seat rotates 360 degrees and locks into four positions.	Seat back folds down for easy storage and transport. Accommodates up to 250 lbs.
Transport Stretcher / Hill-Rom	Transports patients.	5 th wheel steering plus system-one person can easily maneuver the stretcher.
Tub Slide Shower Chair / RD Equipment, Inc.	Rolls into shower to provide seated assistance for user.	Top of shower chair can be slid over bathtub as one unit.
TurnTable / RoMedic	Used to enable transfers to and from wheelchairs, beds, and toilets.	Made of polyethylene with a rubber-like anti-slip surface.
EZ Out Vehicle Extraction Lift / EZ Way, Inc.	Reaches into vehicle to extract patient/resident.	500 lb. capacity; single hand control.

Other Mobility Aids PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Gzunda Bed/Trolley Mover / Spacepac Industries	Moves hospital beds and trolleys within confined areas, over trolleys and up or down 1:12 ramps, and over carpets.	Available for standard and bariatric bed/trolleys.

Repositioning Devices

[↑ TOP](#)

Repositioning Devices PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
SUPINE REPOSITIONING DEVICES		
Glide Sheets / Andicap	Easi Mover II Glide Sheets are low-friction sheets used to reposition bed-dependent patients to the head of the bed.	Reduces risk of skin sheering during patient handling tasks. One or two caretakers may be used to reposition a patient using this device.
Glide and Lock / Andicap	The Glide and Lock Device is a manual repositioning device that can be used to reposition a patient to the head of the bed or to a seated position in bed. It is compatible to use for patient repositioning in wheelchairs.	It does not need to be removed by the caretaker after patient being repositioned. This device eliminates the need for the caretaker to lift the patient. Low-friction characteristics of the system also reduces risk of shear injuries among bedridden patients.
Smart Sheet / Andicap	The Smart Sheet is a low friction device that can be used to reposition a patient to the head of the bed or to a seated position.	Bed-dependent patients are repositioned without the need to lift, and reducing shearing effects on the patient's skin. Handles are located along the sides and on both ends for a firm grip during repositioning.
Ergo Sheet / ErgoSafe	An ultra-low friction ergonomically inclined device that aids caregivers in moving or positioning patients while encouraging good posture without causing undue stress to either the patient or the caregiver.	Used to reposition or turn a patient in bed or to assist in "no lift" maneuvers.
ErgoSlide / ErgoSafe	Patented nylon material sewn into a long tube to assist caregivers in repositioning a patient in bed while reducing the risk of injury to the caregiver by not lifting, but sliding the patient.	Used to reposition or turn a patient in bed or to assist in "no lift" maneuvers.
EZ Repositioner / EZ Way, Inc.	Allows for safe repositioning up and down in bed.	Can work on a person weighing up to 300 lbs., beneficial to skin breakdown.
Repo Sheets / Liko North America	Assists in turning or repositioning a patient higher in bed.	Bedded under the normal sheet and can stay in position during the entire care period.
Locomotor Uni-Slide System / Medisave (UK) Ltd.	This manual device can be used to reposition a patient to the head of the bed or into a seated position without the patient slipping back down.	Its' unidirectional slide allows the patient to independently reposition him/herself. One or two caretakers may be used for repositioning using this device.

Repositioning Devices		
PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Mooveez Slider Sheet / Slider Sheets, Inc.	Manual repositioning device that can be used to turn or boost a patient in bed as well as for lateral transfers.	Low-friction repositioning is feasible for health care workers using this device. Stays under the patient 24/7, machine washable.
Safety Sure Transfer Slide / Scan Medical	A padded tube of fabric used to transfer or reposition a patient in bed.	Various sizes all for use with varying dependency levels of patients.
Sliding Sheet / Surehands	This manual repositioning device can be used to reposition a dependent patient to the head of the bed. It is made of low-friction material aiding in easy repositioning of the patient by two caretakers.	Two easy grip handles are located on the lateral sides of the device, allowing for a firm grip during the repositioning task.
Total Care Bed System /Hill-Rom, Inc.	Used to assist patients in ambulation, repositioning and transfers.	Caregivers can customize the overall length of the bed.
SEATED REPOSITIONING DEVICES		
Glide and Lock Chair / Andicap	The Glide and Lock chair system is a manual repositioning device that can be used to reposition a patient in a chair. It does not need to be removed by the caretaker after patient being repositioned.	This device eliminates the need for the caretaker to lift the patient. Low-friction characteristics of the system also reduces risk of sheer injuries.
One Way Seat Slide / Andicap	The Glide and Lock wheelchair system is a manual repositioning device that can be used to reposition a patient in a wheelchair.	It does not need to be removed by the caretaker after the patient is repositioned. This device eliminates the need for the caretaker to lift the patient. Low-friction characteristics of this product also reduces risk of sheer injuries.
Smart Sheet / Andicap	The Smart Sheet is a low friction device that can be used to reposition a patient to the head of the bed or to a seated position.	Bed-dependent patients are repositioned without the need to lift, and reducing shearing effects on the patient's skin. Handles are located along the sides and on both ends for a firm grip during repositioning.

Repositioning Devices PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Total Care Bed System/Hill-Rom, Inc.	Used to assist patients in ambulation, repositioning and transfers.	Caregivers can customize the overall length of the bed.

Car Lifts/Vehicle Extraction[↑ TOP](#)

Car Lifts/Vehicle Extraction PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
EZ Out Vehicle Extraction Lift/EZ Way, Inc.	Accommodates various wheel well configurations; movable mast for variety of vehicle door styles; single hand control; 500 lb. capacity.	Telescoping mast for tall trucks or short cars.
Golvo/Liko North America	Flexible lifting strap is extended into a vehicle to facilitate transfer.	Permits transfers such as supine from rear seat; accommodates SUVs and higher-than-normal behicles.
Multi-Lift/Access Unlimited	Lift works by a 12 volt motor with the power from the electrical system of your car to perform transfers (car, bath, home). Available in a wide variety of slings.	Fits every care on the market including minivan, trust, SUV or RV.

Transport Devices/Powered Beds[↑ TOP](#)

Transport Devices/Powered Beds PRODUCT/MANUFACTURER	DESCRIPTION	KEY ADVANTAGE
Care Chair / Camtec Division of Cambridge Technologies, Inc.	Converts from chair to stretcher laterally and eliminates patient transfers.	Sitting on the head end will not tip. Available in regular and bariatric models.
Martin Chair-A-Table / Martin Innovations	Wheelchair integrates with patient exam table without having to lift the patient onto the table.	No lift; 1,000 lb. capacity
Stretcher Chair / Stryker Patient Handling	Used to move patients from a prone position to a seated one.	Ergonomic seat tilt allows a recliner position, 24" wide and 74" length patient surface.
Wheelchair Mover / Dane Technologies	Used to move patients up to 550 lbs. in a wheelchair.	Can be used on ramps and on carpeted floors; non-marring solid rubber tires.

Bariatric Ambulatory/Mobility Aids[↑ TOP](#)

Bariatric Ambulatory/Mobility Aids Product	Description	Key Advantage
Hill-Rom Walker	Walker	Capacity up to 800 lbs.
Liko Viking XL	Mobile Floor Lift	Available with bariatric lift pants and arm rests for maneuverability when ambulating. 660 lb. capacity.
Liko Ultra Twin	Gantry Style Overhead	Dual motor design permits easy positioning of patient for comfort and security. 1,100 lb. capacity.
Medline Bariatric Heavy Duty Walker	Walker	Over the toilet design, folds to 4.25" for storage or transporting
Sizeright Walking Aids	Walker	"Tube in tube" construction for added strength. Weight capacity from 500 to 850 lbs.
SIZEWise Rentals Bari-Walker	Walker	Weight capacity 750 lbs.
Sten-Barr Bariatric Walker	Walker	Specifically designed for obese patients. Weight capacity up to 850 lbs.
TFI Healthcare Walker	Walker	Folds to 4.25" for storage or transporting.
TriLine Bari Walker	Adjustable walker from 31-39" in 1" increments.	750 lb. capacity

Bariatric Bathing Equipment (Other)
(also see Commodes/Shower Chairs)

[↑ TOP](#)

Bariatric Bathing Equipment (Other) Product	Description	Key Advantage
Amplestuff Heavy Duty Bath Bench	Bath Bench	Reinforced legs 20"x16." Capacity 500 lbs.
Andermac Lift and Transport System	When lifted, transported, weight or bathed, the patient is resting on a "hammock" created by a custom sheet and nestled in the frame.	Four pieces of equipment in one—a bather, bed scale, transportation system and power patient lift. Up to 800 lb. capacity.
Broda Seating Bari385 Transport Commode Shower Chair	Suspension system and individually-conforming straps eliminate patient discomfort from bottoming out. 65° back recline position allows access to the midsection to permit cleaning of hard-to-reach areas under abdomen and perineal area.	Reduces heat and moisture build up that lead to skin break down.
Convaquip Bariatric Bath Seats	Assists residents getting into tub.	Certified for 850 lbs.
Liko Viking XL	Mobile Floor Lift	Electrically adjustable base permits easier access to tubs and showers. 660 lb. capacity.
Liko Ultra Twin	Gantry Style Overhead	Can be installed directly over tub for precise positioning of patients. 1,100 lb. capacity.
Medline Bariatric Bath Bench	Provides bath seating for clients up to 500 lbs.	Blow molded seat adds strength without adding weight to product.
Sizeright Tub Transfer Bench	Designed to fit standard bathtubs.	Weight capacity ranges between 650 and 850 lbs.
Sten-Barr Bariatric Shower Chair	Shower Chair.	750 lb. capacity.
Sten-Barr Bariatric Commode	Reinforced steel construction commode.	700 lb. capacity.

Bariatric Beds/Mattresses/Transportation[↑ TOP](#)

Bariatric Beds/Mattresses/Transport Product	Description	Key Advantage
Anderlift Lift and Transport System	When lifted, transported, weighed or bathed, the patient is resting on a "hammock" created by a custom sheet and nestled in the frame.	Four pieces of equipment in one - a bather, bed scale, transportation system and power patient lift. Up to 800 lb. capacity.
Burke Tri-Flex II Bed	Bed that accommodates patients up to 1,000 lbs.	Accommodates extra tall patients, folds and rolls, easy storage.
Camtec ExpandaCare Bariatric Bed 3954	Bed/Transport	Adjusts from its full width of 54" to 39-1/2" in less than one minute. This allows it to pass through doorways and elevator entries as narrow as 40 inches, resulting in fewer transfers.
Camtec Bariatric Bed 4400	5-function bed. Raises from 19" to 30." Controlled by 10-button pendant.	Accessories available including scale. 1,000 lb. capacity.
Camtec Bariatric Bed 4700	2-function bed. Electrically-driven head and foot elevations.	General-purpose unit is used primarily in nursing and private homes. 600 lb. capacity.
ConvaQuip 5500B Bariatric Bed	Patient bed with four actuators and battery back-up system.	750 or 1,000 lb. capacity. Sit-to-stand and cardio chair positioning. Foot-end egress. Scale included.
Hill-Rom Excel Care® ES Bed	Bed with adjustable, frame, width and length; patient-assist siderail; scale.	Seat deflates to help patient get in and out of bed more easily. 1,000 lb. capacity.
Hill-Rom Magnum II Patient Care System	Multi functional bed, chair & transport vehicle.	Capacity up to 800 lbs.
Hill-Rom TotalCare Bariatric	Bed with power assisted transport system.	Increased maneuverability for 180 degree turns. 460 lb. capacity
Hill-Rom TotalCare Plus Bariatric Bed	Bed with power assisted transport system.	Pulmonary therapies including continuous lateral rotation therapy and percussion/vibration therapy.
Hill-Rom TriFlex II System	Multiple positions. High-low from 14" to 28." Independent head and knee positioning.	1,000 lb. capacity.
Hill-Rom Flexicair Eclipse Ultra	Low air loss therapy and adjustable lumbar support.	800 lb. capacity.
Hill-Rom Air Pal Patient Air Lift	Facilitates transfers by utilizing a cushioned film of air.	Allows one or two staff members to perform tasks usually taking 4-8 people. 1,200 lb. capacity.
Huntleigh Contura® 1080 Bed	Electrically-operated, height, back and knee-break adjustment.	450 lb. capacity. Scale available.
Huntleigh DFS3 Dynamic Flotation System	Pressure relieving mattress. Treatment of pressure	Auto-Matt sensor pad mimics the body's natural movement pattern with 288 cycle

Bariatric Beds/Mattresses/Transport Product	Description	Key Advantage
	ulcers up to and including Stage IV.	changes per day. 550 lb. capacity.
InvaCare BARPkg750	Split spring design; battery back-up. Package includes bed and mattress.	Bed ends, half rails standard. 650 lb. capacity
KCI Air Maxxis	Pressure relief mattress overlay.	Adjustable straps and extra support strap to provide better attachment and fit to frame.
KCI BariAir Therapy System	Risk management bed for patients up to 850 lbs.	Continuous lateral turn up to 20 degrees to aid in patient positioning, promote comfort and shift pressure points.
KCI BariKare Patient Care System	Pressure reduction bed for acute and extended care settings.	Side rails extend straight out 5.75" on each side, for a total added width of 11.5."
KCI BariMaxx	Pressure reduction bed system.	Accommodates up to 1,000 lbs.
KCI BariMaxxII Pressure Reduction System	Pressure reduction bed system.	Expandable bed width to 48" accommodates larger sized patients.
Medline BariMed 600 Bed	Patient transport with fully adjustable knee and head sections.	Available in 39" or 48" widths.
Medline BariMed 800 Bed	Patient transport with fully adjustable head and knee sections.	Available in 38", 48", 54" or 60" widths.
New Care Big Turn Low Air Loss System	Turning system built into the bed.	1000 lb. capacity, 70 degrees lateral rotation.
New Care Rehab Platform	Bed	Cardio-chair positioning, added length for taller patients.
Roho Group Dry Flotation Kit	Mattress conforms so that patients' soft tissue does not deform.	No weight limit, lightweight and portable.
SenTech IV 3000 Plus	Multi-zoned, multi-therapy system for rapid wound healing.	Therapy for patients up to 990 lbs. Air retained in case of power loss.
Sizeright Mattress	Mattress that reduces tissue/surface tension.	Accommodates all patients regardless of weight.
SIZEWise Bari-Rehab Platform	Bed with extra width of 39" and 48".	The weight capacity is 1,000 lbs. Retractable deck available.
SIZEWise Big-Turn™	Rotation therapy mattress.	<40 to >40° rotation; adjustable cycle time; side wall bolster support. 1,000 lb. capacity.
SIZEWise Mighty Air®	Low air loss therapy mattress.	Static and alternating modes; side wall bolster support. 1,000 lb. capacity.
SIZEWise SW Pulsate™	Low air loss therapy mattress.	Static and pulsating modes; available as mattress or overlay.
SIZEWise Bari-Transport™	Converts from stretcher to chair.	Battery-powered articulation for recline, stretcher chair positioning. 400 or 850 lb. capacity.
Span America PressureGuard CFT	Constant force therapy, self-adjusting air therapy	Proven option for prevention in the high risk ICU/CCU environment. 750 lb. capacity.

Bariatric Beds/Mattresses/Transport Product	Description	Key Advantage
	mattress.	
Span America GeoMattress Atlas	Mattress designed to meet the unique skin integrity challenges of the bariatric client.	600 and 750 lb. capacities.
Span America PressureGuard Easy Air® XL Mattress	Low air loss/alternating pressure mattress system.	Optional pendant controller. 1,000 lb. capacity.
Span America PressureGuard® APM Bariatric Mattress	Alternating pressure air mattress system.	Digital control unit, 8 comfort settings. 750 lb. capacity.
Sten-Barr SB Bari 1000 Bed Frame	Bed specifically designed to obese patients.	Accommodates up to 1,000 lbs.
Sten-Barr SB Bari 600 Bed Frame	Bed specifically designed to obese patients.	Accommodates up to 600 lbs.
Stryker M-1 Roll-In System	Ambulance cot with a portable litter.	500 lb. capacity.
Stryker MX-PRO Bariatric Transport	Ambulance cot specifically designed for the bariatric patient.	1600 or 850 lb. capacity units available.
Stryker MX-PRO Incubator Transport	Ambulance cot specifically designed for incubators.	Positive action features for adjusting height help prevent inadvertent drops.
Stryker MX-PRO R3	Ambulance cot.	650 lb. capacity.
Sunrise Medical Bariatric Mattress	Mattress with pressure reduction and tri layer lamination without latex adhesives.	Weight capacity of 700 lbs.
Sunrise Medical OrthoDerm™ LAL Bariatric Mattress	Low air loss replacement mattress.	1,000 lb. capacity
THE Medical Ultra Surfaces	True air loss and dynamic flotation therapy support surfaces available in a number of models.	True air loss helps keep away moisture.
TriLine Bari 6 Electric Bariatric Bed Frame	Frame splits in half for easy movement; manual emergency crank.	Provides support for clinically obese patients. 600 lb. capacity. Deck low-high 13.5"-30."
TriLine Bari 10 Extended Weight Bariatric Bed Frame	Frame splits in half for easy movement; manual emergency crank.	Provides support for clinically obese patients. 1,000 lb. capacity. Deck low-high 13.5"-30."
TriLine Bari 10A Bariatric Bed Frame	Patient support with pendant control; electronic bed scales.	Battery backup. 1,000 lb. capacity. Width expansion for comfort and transport.
TriLine Turn 1000 Lateral Turning and Low Air Loss	Lateral rotation mattress for treatment and prevention of pressure ulcers & respiratory conditions.	"Autofirm" mode for maximum air inflation; 4 turn angles and 4 turn set times. 1,000 lb. capacity.
Wy'East Totalift PTS Transfer Stretcher	Transfer patient from stretcher to bed with no lifting.	600 lb. capacity.

Bariatric Ceiling Lifts[↑ TOP](#)

Bariatric Ceiling Lifts Product	Description	Key Advantage
Arjo Maxi Sky 1000	Designed to lift and transfer patients from bed to chair or commode.	1,000 lb. capacity.
BHM Medical Voyager V10 Ceiling Track Lift	Ceiling track lift. 1,000 lb. capacity.	Can be installed on a permanent ceiling mounted track or the flexibility of a free standing semi-permanent rack is available.
BHM Voyager 800	Ceiling track lift.	800 lb. capacity.
Chiltern Invadex Patient Handling System	Free-standing gantry system for patient handling.	Multi-functional as bed, chair, or transport vehicle.
Horcher UniLift PC-2	Ceiling lift for patient transfers with 500 lb. capacity. Also available is a stretcher system with 440 lb. capacity.	Tracks can be mounted to ceiling or wall.
Liko Ultra Twin	Bariatric ceiling lift.	Available in ceiling-mounted or free-standing mobile versions. Dual motor design facilitates positioning of patient for comfort and security. 1,100 lb. capacity.
THE Medical Pinnacle III	Heavy duty fixed lift w/an extra wide, extra long lifting strap for safety. Includes dual controls, emergency down, curtain pass-through & standardized face plate.	1,000 lb. capacity.
THE Medical Stratus Portable	Portable ceiling lift with all metal drive trains.	Weight capacity 450 lbs.
Waverley Glen Transactive Plus	Heavy-duty ceiling track system.	Lifts up to 800 lbs.

Bariatric Commodes/Shower Chairs[↑ TOP](#)

Bariatric Commodes/Shower Chairs Product	Description	Key Advantage
ActiveAid Shower/Commode Chair	Chair used to assist patients in the bathroom.	Available in four seat widths and accommodates up to 600 lbs.
ConvaQuip Obese Bathseats	Patient support while bathing.	Accommodates 850 lbs.
ConvaQuip Bedside Commode	For residents getting into bathroom.	Certified for 850-1,500 lbs.
Hill-Rom Shower/Commode Chair	Allows patient toileting and showering with easier patient transfer.	Capacity up to 800 lbs.
Invacare Bariatric Drop Arm Commode	Steel construction. Drop arms facilitate access.	1,000 lb. capacity.
Medline Bariatric Extra Wide Commode	Snap-on-toilet seat with 500 lb. capacity.	24 inches wide.
Sizeright Bathseat	These bath seats are designed to fit the contour of a standard bathtub.	Vinyl grips on the tubing prevent from marring the bathtub.
Sizeright Shower Chair	Constructed with anodized aluminum tubing.	Weight capacity 650 lbs. & 850 lbs.
SIZEWise Bari Shower Commode Chair	Stainless steel construction.	Weight capacity is 750 lbs.; removable arm.
Sten Barr Bariatric Commode	Specifically designed to obese patients.	Accommodates up to 1,000 lbs.
TFI Healthcare Commode	Patient toileting.	Weight capacity of 600 lbs.

Bariatric Lateral Transfer Systems[↑ TOP](#)

Bariatric Lateral Transfer Systems Product	Description	Key Advantage
SIZEWise Air Transfer Device	Mattress inflated with air used to laterally transfer patient.	No weight limit; radiolucent for x-ray/MRI.
Wy'East Totalift II	Transfers patient laterally from bed to stretcher without lifting, then adjusts to a sitting or reclining position.	Converts from a chair to a horizontal stretcher position. 400 lb. capacity.

Bariatric Repositioning Systems

[↑ TOP](#)

Bariatric Repositioning Systems Product	Description	Key Advantage
Arjo Maxi Slide	Sliding system that offers a wide range of patient handling maneuvers.	Easy to place and remove from under the patient.
AirSlide / McAuley Medical, Inc.	Allows staff to laterally transfer patients on a comfortable cushion of air without lifting.	No weight limit; small, lightweight and portable; Ergonomic Extension Handles included.
ErgoSafe Bariatric ErgoSlide® 2101	Assists caregivers in repositioning a patient in bed while reducing the risk of injury to the caregiver by not lifting, but sliding the patient.	Using ergonomically-inclined handles for gripping, caregivers can maneuver patients to the desired position without having to lift.
EZ Way EZ Lift Repositioner	This repositioner is a crank-powered device, made of vinyl, which allows caregivers to move patients up and down in bed.	Allows one person to facilitate repositioning.
Liko Sheet and Straps with Sling Side Bars	Reposition using ceiling lifts.	Can be left under patient.
SenTech Thera-Turn Millennium Plus	Lateral rotation system with low air loss mattress.	Supports patients up to 750 lbs.
SIZEWise Air Transfer Device	Mattress inflated with air used to reposition patient.	No weight limit; radiolucent for x-ray/MRI.
Waverley Glen Repositioning Systems	Range of sliding sheets, transfer boards, and repositioning aids.	Allows for safe transfer and repositioning for both bariatric patient and caregiver.

Bariatric Powered Lifts[↑ TOP](#)

Bariatric Powered Lifts Product	Description	Key Advantage
Anderlift Lift and Transport System	When lifted, transported, weighed or bathed, the patient is resting on a "hammock" created by a custom sheet and nestled in the frame.	Four pieces of equipment in one - a bather, bed scale, transportation system and power patient lift. Up to 800 lb. capacity.
AryCare C1000 Lift	Unit lifts and transfers; remains over bed.	Lifts, repositions or transfers patients to wheelchair. 1,000 lb. capacity
Arjo Tenor Lift	Patient lift.	Weight capacity of 704 lbs. (320kg) giving increased flexibility to handle heavier patients with safety and security.
BHM ErgoLift 600	Floor-based lift. 600 lb. capacity.	Motorized, secure base. Quick access control box.
ConvaQuip 2000x Lift	Transfers those patients needing help from chair to bed or toilet.	Electronic anti-entrapment system and 600 lb lifting capacity.
ConvaQuip 9750 Lift	Transfers those patients needing help from chair to bed or toilet.	1,000 lb lifting capacity.
Hill-Rom Litem Mark IV Portable Lift	Patient transfer lift with remote control operation for all functions.	No physical movement of the lift required to facilitate the transfer. 700 lb. capacity.
Invacare Reliant 600	High lift range allows transfer to high surfaces. Base legs adjust and lock.	600 lb. capacity. Manual lowering if power lost.
KCI EZ Lift	Patient lift/transport system.	Accommodates up to 1,000 lbs. during transfer.
Liko Viking XL	Mobile floor lift.	General purpose bariatric lift with numerous options and accessories for bariatric applications. 660 lb. capacity.
Liko Ultra Twin	Overhead ceiling lift.	Dual motor bariatric lift enables precise forward or backward positioning of patient for comfort and security. 1,100 lb. capacity.
Millennium Medical Litem®	Lift and transfer system.	700 lb capacity; no physical movement of the lift is required to transfer patients.
New Care Lift and Transfer 750	Free standing transfer device.	Fits over both the rehab platform & wheelchair/shower commode chairs.
Sizeright Litem	This lift is portable and motorized device.	Weight capacity is 600 lbs.
SIZEWise Bari Lift & Transfer	Allows for safe, easy transfer.	Weight capacity is 750 lbs. and 1,000 lbs. Height adjustable from 78" to 94." Scale and variety of slings available.
Stenbarr SB Mobile Lift 600	Easy to use mobile lift helps transfer patient from bed to wheel chair or commode.	Weight capacity of 600 lbs.

Bariatric Powered Lifts Product	Description	Key Advantage
Sunrise Medical Hoyer Heavy Duty Power Patient Lifter	Economical lift designed for patient transfers.	Weight capacity of 600 lbs.
THE Medical Titan-X	Electric/hydraulic power system for patient transfers.	1000 lb. lifting capacity.
TriLine Bariatric Lift	Floor-based lift.	600 lb. capacity.
Vancare Vanderlift II B450	Patient lift. 4-pt. sling connection.	Emergency lowering. 450 lb. capacity
Vancare Vanderlift II B600	Patient lifting system. 4-pt. sling connection.	Emergency lowering. 600 lb. capacity.
Wy'East Totalift MPL	Patient lift. Offers 2-point and 4-point sling bars. Optional scale.	450 lb. capacity.

Bariatric Transfer/Dependency Chairs and Cushions[↑ TOP](#)

Bariatric Transfer/Dependency Chairs Product	Description	Key Advantage
Blue Chip Medical Gel Pro Elite Wheelchair Cushion	A wheelchair cushion used for pressure relief.	Stabilizes and reduces rocking motion.
Broda Seating	Custom seating.	Accommodates up to 900 lbs.
Hill-Rom Barton I-660 Transfer Chair	Converts from a flat transfer chair to an upright mobile chair. Adjustable head, foot and arm rest.	Allows a single caregiver to laterally transfer patients. 660 lb. capacity.
Martin Chair-A-Table®	An examination table with a proprietary coupling wheelchair	Allows a single caregiver to transfer 1000+ lbs. to an examination table with no lifting
Product Design Group Solar Cushion	Cushion for eclipse wheelchair.	Pressure reduction cushion provides proper alignment.
Rehab Seating Ascender Chair	Chair with foot rests and arm rests.	Accommodate 300, 500, and 1000 lb. capacity.
Sentech Chair	Converts any chair to an alternating pressure relief system.	Therapy and support for patients weighing up to 550 lbs.
Sentech Recliner	Six multiple positions including deep recline; feet can be elevated higher than head.	Therapy and support for patients weighing up to 550 lbs.
SIZEWise Bari-Rehab Chair	Converts from a stretcher to a chair. Tilts to facilitate a standing position.	X-ray tray built-in. 1,000 lb. capacity.
SIZEWise SW Shuttle	Transport chair that automatically converts from chair to stretcher. Height adjustable with seat assist, elevating, independent leg supports.	1,000 lb. capacity; automatic height adjustability.
TriLine Barton Chair 330/660	Transportation chair. Tilt in space position.	Adjusts to fit most hospital beds and stretchers. Capacities up to 660 lbs.

Bariatric Standing Assist Aids[↑ TOP](#)

Bariatric Standing Assist Aids Product	Description	Key Advantage
New Care Bari Tilt Table/Gait System	Assists patients to stand upright; assists patients in walking.	500 lb. capacity & accommodates wider patients.
SIZEWise Bari-Rehab Chair	Converts from a stretcher to a chair. Tilts to facilitate a standing position.	X-ray tray built-in. 1,000 lb. capacity.

Bariatric Wheelchairs[↑ TOP](#)

Bariatric Wheelchairs Product	Description	Key Advantage
21st Century Big Bounder H-Frame Powered Wheelchair	Provides transportation.	Power seating systems: recline, tilt, seat elevate, and/or power headrest. Available in up to 1,000 lb. capacity.
21st Century Big Bounder Power Wheelchair 700	Provides transportation.	Accommodates 21" or wider seats.
21st Century Bounder Plus Conventional Wheelchair	Provides transportation.	Accommodates users up to 500 lbs.
ConvaQuip Wheelchairs	Powered transport.	Electronic braking prevents the chair from moving when the power is off or the joystick is in the neutral position. 500 to 650 lb. capacity.
Hill-Rom Wheelchair	Patient transport.	Anti-tip mechanism, accommodates up to 800 lbs.
InvaCare MVP Wheelchair	Custom wheelchair.	Adjustable angle back option on the square frame offers four discrete positions.
InvaCare Solara Wheelchair	Tilt-in-space manual transport for bariatric residents.	A built-in 2" drop base facilitates remarkably low seat-to-floor heights.
InvaCare Electric Wheelchairs/Transport Chairs	Variety of chairs available	Up to 700 lb. capacity.
Martin Chair-A-Table® Wheelchair	Manual wheelchair that docks with the Martin Chair-A-Table® examination table	Allows transportation of 1000+ lbs. and also provides a seamless transfer to an examination table without any lifting
MedLine Shuttle Heavy Duty Wheelchair	Transport with wide seats to accommodate 600 lbs.	Back and seat have polypropylene mesh liner to support additional weight.
Pride Mobility Quantum Blast HD	Power wheelchair for patient transport.	Sport-trac suspension for smooth ride over rough terrain.
Pride Mobility Quantum Jazzy 1400	Power wheelchair for patient transport.	400 lbs. capacity.
Pride Mobility Quantum Jazzy 1420	Power wheelchair for patient transport.	Synergy seat frame which accepts a broad range of seating.
Pride Mobility Quantum Jazzy 1470	Power wheelchair for patient transport.	500 lb. capacity.
Product Design Group Eclipse 350 Wheelchair	Wheelchair for patient transport.	Weighted more on rear wheels, making it easier to maneuver.
Sizeright Wheelchair	The Convert-Assist unit is able to be converted between chair and stretcher position by the simple operation of an electrical switch located on the back frame.	A 12 volt rechargeable sealed battery in conjunction with an electrically driven arm does the conversion. 650, 700 and 850 lb. capacity models.
SIZEWise Bari-Chair	Foldable for easy storage. IV pole and oxygen tank holder available.	Weight capacity is 750 lbs. Seat widths from 24" to 36."

Bariatric Wheelchairs Product	Description	Key Advantage
SIZEWise Bari-Recliner	Heavy-duty reclining wheelchair.	750 lb. capacity. Seat widths of 26" or 30." Power recline to 45°.
Sten-Barr Bariatric Wheel Chair	Specifically designed to obese patients.	Accommodates up to 750 lbs.
Sunrise Medical Jay Plus Back	Specifically designed to address the pelvic and trunk stability of bariatric patients.	Weight capacity of 650 lbs.
Sunrise Medical Jay Plus Cushion	A wheelchair cushion that can be customized to address the posture and skin protection needs of the bariatric client.	Weight capacity of 650 lbs.
TriLine Bari Recliner Wheelchair	Manual base with lower recline. Removable reclining full length arms and headrest extension. Elevating leg rests; up to 45 recline.	600 lb. capacity.
TriLine Bari Wheelchair	Manual bariatric wheelchair.	600 lb. capacity.
TuffCare Extra Wide 2500 Wheelchair	Heavy duty wheelchair	Specifically engineered for patients who weigh up to 410 lbs.
TuffCare Extra Wide 2540 Reclining Wheelchair	Heavy duty reclining wheelchair	Chair is specially engineered for bigger patients that require a manual recline back to provide extra comfort.
Varilite Wheelchair Cushions and Accessories	Many options available.	See their web site for more information.

Beds by Care Setting

[↑ TOP](#)

Homecare/Long Term Care Beds

Med/Surg Beds

This guide is a resource to assist you in choosing the type of bed you need for your particular area of care. It is by no means a complete list. You should do your own research and contact manufacturers for current models and specifications as they may have changed since our last update.

Beds can be purchased in many different configurations. Frames, various siderail configurations, headboards, footboards, mattresses and many accessories can be purchased separately or together depending upon your needs. Specifications included are for the widest and longest sizes available, for other height and width options see the manufacturers' web sites.

We have not addressed the various types of mattresses available in the marketplace, but depending upon your patient's needs, you can get standard, foam, and specialty surfaces (such as air-assisted pressure relief or treatment surfaces). Some of these mattress options also feature anti-microbial covers. It is important to remember that all beds have different deck dimensions and that not all mattresses fit all beds. Please consult the manufacturer to assure that you are using the correct size mattress for your bed.

Available options can include:

- Exit alarm
- Foot board at end of frame to keep patient from sliding down
- Ability to adjust the height of the bed to a comfortable and safe working position for the caregiver as well as to lower the bed to the floor for patients at risk for falls.
- Power assist to use as transport device
- Scale
- Turn assist
- Chair position

Homecare/Long Term Care Beds

[↑ TOP](#)

Homecare beds are generally manufactured for ease of use by home caregivers or for long-term care settings. The head and footboards are usually available in wood-grain laminates to be more aesthetically-pleasing.

Manufacturer	Product	Features ¹	Weight Capacity ²	Specifications
Adden Furniture, Inc.	Electric Health Bed	3 motors; 2-position vascular footrest; 6-	500 lbs.	<ul style="list-style-type: none"> • Sleep surface:

¹ Features extracted from manufacturer's specification sheets.

² Weight capacities include patient, mattress, bedding, and all accessories.

Manufacturer	Product	Features ¹	Weight Capacity ²	Specifications
		IV locations; Rails available in Full, ¾ and ½ lengths; Grid deck.		35" x 80"
Adden Furniture, Inc.	Manual Health Bed	3-crank; Rails available in Full, ¾ and ½ lengths; Grid deck.	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 35" x 80"
Basic American Metal Products	WhisperLite™ II Semi-Electric Homecare Bed (WL0208)	Quiet, smooth operation; Lightweight	450 lbs.	<ul style="list-style-type: none"> • Bed Height: Min. 15", Max. 24" (at deck level). • Overall Bed Size: 87" L x 36" W.
Basic American Metal Products	Bariatric Bed (ABL-B600)	Full Electric 3-function operation; Simple assembly, no special tools required	600 lbs.	<ul style="list-style-type: none"> • Bed height: low 17" to high 27". • Overall bed dimensions: 46.5" width (with rails) and 87 length. • Sleeping surface dimensions: 42" width and 80" length.
Basic American Metal Products	Universal Homecare Bed (SD0204A)	Slip clutches to eliminate unsynchronized components	450 lbs.	<ul style="list-style-type: none"> • Sleep surface 36"x80"
Carroll Hospital Group	Spirit	Low resting height of 8.75;" Fiber composite deck detaches into four sections for thorough sanitization; Trendelenburg, reverse Trendelenburg, chair positioning, CPR, and auto contour functions.	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 36" x 80" • Overall frame: 35.5" x 91.5" • High position: 34" • Low position: 8.75"
Graham-Field Health Products	Eze-lok Bed	Single pedal to secure bed to the floor at any height; 12" low deck height; Manual, Semi-Electric or Full-Electric	450 lbs.	<ul style="list-style-type: none"> • 76"-84" lengths • 12" low deck height

Manufacturer	Product	Features ¹	Weight Capacity ²	Specifications
Graham-Field Health Products	Zenith Bed	Steel-wire grid or pan sleep deck; 7.9" to 30" deck heights	500 lbs.	<ul style="list-style-type: none"> • 76" or 80" length • 7.9" to 30" deck height
Hill-Rom USA, Inc.	Resident LTC Bed	Footend control lockout panel and floor brake; separate articulation of head and knee areas.	300 lbs.	<ul style="list-style-type: none"> • Size: 42"x91.5" • Deck height range: 13.875-30" • Sleep deck: 36" x 80"
Hill-Rom USA, Inc.	Low Bed	Restraint-Free Assist Rail™; Height adjustable; Attendant and patient-accessible controls with lock-out.	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 35" x 80" • Overall surface: 41" x 89.5" • Low position: 6.75" • High position: 33"
Invacare Continuing Care Group	ARRO™ Bed	Detachable mattress deck; 14-function attendant control panel; Restraint-free assist rail; Immobilization system	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 35" x 80" • Overall surface: 41" x 89.5" • High position: 33" • Low position: 6.75"
Invacare Continuing Care Group	Echo™	Detachable mattress deck; Weightless tuck-away siderails; Restraint-free Carroll Assist Rail™; Hand controls	450 lbs.	<ul style="list-style-type: none"> • Sleep surface: 76" or 80" length • Overall: 41" x 84" or 88"
Invacare Continuing Care Group	SC900DLX	Mattress deck available in perforated pan or grid styles; Built-in wall protection; Restraint-free assist rails; Hand controls	450 lbs.	<ul style="list-style-type: none"> • Sleep surface: 38" x 76"/80" • Overall: 36" x 80"/84"
Invacare Continuing Care Group	Solo™	Detachable mattress deck, 9-function attendant control panel; Restraint-free Carroll Assist Rail™; 6-function hand control	400 lbs.	<ul style="list-style-type: none"> • Sleep surface: 35" x 76"/80" • Overall: 41" x 80"/84"
Invacare Continuing	820DLX Series	Built-in wall	450 lbs.	<ul style="list-style-type: none"> • Overall: 36" x 82"

Manufacturer	Product	Features ¹	Weight Capacity ²	Specifications
Care Group		protection; 6-function hand control; Electrical or manual operations; Restraint-free Carroll Assist Rail™; Mattress deck available in perforated pan or grid style.		<ul style="list-style-type: none"> • Sleep surface width: 76" or 80" • High position: 26" • Low position: 13.5"
Invacare Continuing Care Group	Solo™Pro	Mobility at any bed height; Restraint-free Carroll Assist Rail™; 6-function hand control; Detachable mattress deck.	400 lbs.	<ul style="list-style-type: none"> • Overall: 41" x 84" or 88" • Sleep surface width: 76" or 80" • High position: 25" • Low position: 9"
Joerns Healthcare Inc.	Ultra Care Bed 770	EasyLift leg lift; Four-section sleep surface; staff control; two-position assist handle.	500 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 80" • Travel range: 7-30"
Joerns Healthcare Inc.	Ultra Care Bed 790	Four motors; 4-section sleep surface; staff control; two position assist handle; rolls at any height.	500 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 80" • Travel range: 9-30"
Joerns Healthcare Inc.	Ultra Care Bed 795	Four motors; 4-section sleep section; staff control; 2-position assist handle; rolls at any height.	500 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 80" • Travel range: 9-30"
Joerns Healthcare Inc.	Ultra Care Bed 530	4-section sleep surface; staff control.	500 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 80" • Travel range: 8 7/8" x 32"
Joerns Healthcare Inc.	Ultra Care Bed 330	4-section sleep surface; staff control.	450 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 80"
NOA Medical Industries, Inc.	NOA Vertical Riser	Raise & lower with the wheels locked; Braking swivel casters.	500 lbs.	<ul style="list-style-type: none"> • Overall: 40' x 89" • Deck height range: 7"-26" • Sleep deck: 84"
NOA Medical Industries, Inc.	NOA AP Riser	Descends to just 7" from the floor, rises to convenient	500 lbs.	<ul style="list-style-type: none"> • Overall: 40" x 89" • Deck height range: 7"-26"

Manufacturer	Product	Features ¹	Weight Capacity ²	Specifications
		working height; Multiple positions for therapeutic & emergency use.		<ul style="list-style-type: none"> • Sleep deck" 84"
NOA Medical Industries, Inc.	NOA Manual Resident	Manual; Three cranks stow away for safety	500 lbs.	<ul style="list-style-type: none"> • Overall length: 40" x 89" • Deck height range: 12"-23"
NOA Medical Industries, Inc.	NOA Electric Resident	Electric; Rib deck sleeping surface; Central locking system; Head deck, foot deck & height controlled by 3 full-function hospital-grade motors.	500 lbs.	<ul style="list-style-type: none"> • Overall length: 40" x 89" • Deck height range: 12"-23"
NOA Medical Industries, Inc.	NOA Onyx Bed	Dementia, Alzheimer's, Restraint-Free and Psychiatric Settings; No edges for safety.	450 lbs.	<ul style="list-style-type: none"> • Width (without rails): 34.5" • Length: 80" • 3" min. height w/o casters. • 7" min height w/casters
Stryker Medical	LTC Bed	Interchangeable caster & stationary bed leg system; zero-transfer gap with siderails are down and tucked under bed; Chaperone® bed exit system optional.	350 lbs.	<ul style="list-style-type: none"> • Overall: 42" x 87" • Low position: 12" • High position: 28" • Patient surface: 35" x 80"
Sunrise Medical	Guardian® Full-Electric Bed	7 models available; Split-spring design; Hand pendant control	450 lbs.	<ul style="list-style-type: none"> • Overall: 36" x 88" • Surface height range: 16-24.5"
Sunrise Medical	SunTec™ Quick-Change Full Electric Bed	Patient/caregiver hand control; Split-spring design; Changes from manual to semi-electric or full electric without the use of tools.	500 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 85.75" • Mattress deck: 35" x 80"
Sunrise Medical	SunTec™ Grid-Style Full Electric Shaft Bed	Grid sleeping surface; emergency crank clips to bed for	500 lbs.	<ul style="list-style-type: none"> • Overall: 36" x 87.75" • Mattress deck:

Manufacturer	Product	Features ¹	Weight Capacity ²	Specifications
		ready access.		36" x 80"
Sunrise Medical	SunTec™ Spring-Style Full Electric Shaft Bed	Split spring; Hand control; Self-leveling system avoids out-of-sync operation.	500 lbs.	<ul style="list-style-type: none"> • Overall: 36" x 88.5" • Mattress deck: 36" x 80"
Sunrise Medical	SunTec™ Vantage Full Electric Bed	Split spring design; Longer head section for patient comfort; Knee operation only in the safe, low-bed height position.	500 lbs.	<ul style="list-style-type: none"> • Overall: 35" x 85.75" • Mattress deck: 35" x 80"

Med/Surg Beds[↑ TOP](#)

Manufacturer	Product	Features ³	Weight Capacity ⁴	Specifications
Carroll Hospital Group	Sprit Plus	Low resting height of 8.75;" Fiber composite deck completely detaches for thorough sanitization; Trendelenburg, reverse Trendelenburg, chair positioning, CPR, and auto contour functions.	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 36" x 80" • Overall frame: 35.5" x 93.5" • High position: 34" • Low position: 8.75"
Hill-Rom USA, Inc.	Century™ + Bed	Optional battery back-up; Addresses entrapment area issues; Siderails with embedded nurse and patient controls on both sides; Patient lockout controls.	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 36" x 80" • Overall frame: 36" x 88.5" • High position: 29.875" • Low position: 18.125"
Hill-Rom USA, Inc.	VersaCare® Bed System	Low height, minimized siderail gaps; LowChair® position; Firm surface for patient transfers, optional IntelliDrive® power-assisted transport.	500 lbs.	<ul style="list-style-type: none"> • Sleep surface: 35.5" x 86" • Overall frame: 40" x 94.5" • High position: 37" • Low position: 18"
Hill-Rom USA, Inc.	CareAssist® ES Bed	Angle indicators for degree of head section and Trendelenburg positions; Instant CPR release; One-button Dining Chair® position; Built in scale; Nightlight.	500 lbs.	<ul style="list-style-type: none"> • Sleep deck: 36" x 84" • Frame: 39.74" x 94.04" • High position: 32.5" • Low position: 15.75"
Stryker Medical	GoBed II®	Chaperone® bed exit system; Zone Control® technology; Integrated pump holder on footboard;	500 lbs.	<ul style="list-style-type: none"> • Overall: 40" x 94.25" • High position: 29" • Low position: 14.5"

³ Features extracted from manufacturer's specification sheets.

⁴ Weight capacities include patient, mattress, bedding, and all accessories.

Manufacturer	Product	Features ³	Weight Capacity ⁴	Specifications
		Low height; Centrally-located 5 th wheel to assist in transport.		<ul style="list-style-type: none"> ● Patient surface: 36" x 84"
Stryker Medical	Electric & Manual Beds	Centrally-located steer system; Optional removable crank handles for manual bed positioning.	500 lbs.	<ul style="list-style-type: none"> ● Overall: 41.5" x 90.5" ● High position: 30" ● Low position: 13" ● Patient surface: 35" x 80"
Stryker Medical	Secure II	Chaperone® bed exit system; Zone Control® technology; Single-button in-bed scale; Retractable bed frame; iBed Awareness™ option to monitor brake, siderail position, bed exit and low bed height.	500 lbs.	<ul style="list-style-type: none"> ● Overall: 42.5" x 93" ● High position: 30" ● Low position: 16" ● Patient surface: 35" x 84"

Equipment by Task

[↑ TOP](#)

- ***Algorithms 1: Transfer to and From: Bed to Chair, Chair to Toilet, Chair to Chair, or Car to Chair***

[Beds](#)

[Car Lifts/Vehicle Extraction](#)

[Ceiling Lifts](#)

[Dependency/Geri/Specialty Chairs/Wheelchairs](#)

[Floor-Based Lifts](#)

[Friction Reducing Lateral Aids](#)

[Gait Belts](#)

[Repositioning Devices](#)

[Sliding Boards](#)

[Slings](#)

[Standing Assist Aids](#)

- ***Algorithm 2: Lateral Transfer to and from: Bed to Stretcher, Trolley***

[Air Assisted Lateral Transfer Aids](#)

[Beds](#)

[Ceiling Lifts](#)

[Dependency/Geri/Specialty Chairs/Wheelchairs](#)

[Friction Reducing Lateral Aids](#)

[Mechanical Lateral Aids](#)

[Slings](#)

[Transport Devices](#)

- **Algorithm 3: Transfer to and from: Chair to Stretcher or Chair to Exam Table**

[Ceiling Lifts](#)

[Dependency/Geri/Specialty Chairs/Wheelchairs](#)

[Floor-Based Lifts](#)

[Gait Belts](#)

[Slings](#)

[Standing Assist Aids](#)

- **Algorithm 4: Reposition in Bed: Side-to-Side, Up in Bed**

[Beds](#)

[Ceiling Lifts](#)

[Floor-Based Lifts](#)

[Friction Reducing Lateral Aids](#)

[Repositioning Devices](#)

[Slings](#)

- **Algorithm 5: Reposition in Chair: Wheelchair and Dependency Chair**

[Ceiling Lifts](#)

[Dependency/Geri/Specialty Chairs/Wheelchairs](#)

[Floor-Based Lifts](#)

[Repositioning Devices](#)

[Slings](#)

[Standing Assist Aids](#)

- **Algorithm 6: Transfer Patient Up from Floor**

[Floor-Based Lifts](#)

[Slings](#)

Slings Guide

[↑ TOP](#)

These tables are guides for assisting you in seeing the variety of sling types available from various manufacturers. Please go to the manufacturer's web site for the latest information and specifications (see list at end). You can view [sling types by vendor](#), or [sling types by function/task](#).

Sling Types by Vendor

Vendor	Sling Name	Details	Material Used	Sizes Available
Alpha Modalities, LLC	Am-Seat Sling	Reusable, fullback seated transfer sling; center and side handles; peri-area open; dignity strap; can be used with bilateral amputee.	Reusable: SWL 500 kg.	S, M, L, X, XX Color coded
	AM-TSL	Reusable, full length log roll/repositioning sling		660 lb. (300 kg.) or 1000 lb. (454 kg.)
	AM-BariVest	Bariatric reusable walking sling; patient must bear weight; designed for fall prevention.		400-600 lb. (181-272 kg.) or 600-800 lb. (272-362 kg.)
	AM-LingSling	Holds limbs while doing dressing change or peri-care; closed cell foam padding; can also be used to hold patient on side for back care.		60" x 8" long
ARJO	General purpose unpadded sling	Has head support, used with <i>Maxilift, Dextra, Bianca, Trixie, Maxi Move, Maxi Twin, Maxi 500, Maxi Sky, Maxi Lite, Opera, Tempo and Bravo.</i>	100% Standard polyester, latex free; clips & loops	XS, S, M, L, LL, XL, XXL Color coded
	General purpose padded sling	Has reinforced, padded leg pieces for comfort, used with the above lifts.	100% Standard polyester, spacer fabric, latex free; clips & loops.	XS, S, M, L, XL Color coded
	Mesh unpadded sling	Bathing/showering sling for use with the above lifts.	100% Standard polyester mesh, latex free; clips & loops	XS, S, M, L, LL, XL, XXL Color coded

Vendor	Sling Name	Details	Material Used	Sizes Available
	Mesh padded sling	Bathing/showing sling with padded leg pieces for comfort, used with the above lifts.	100% Standard polyester mesh, spacer fabric, latex free; clips & loops	XS, S, M, L, LL, XL Color coded
	Mesh unpadded sling with extended leg (+100 mm)	Bathing/showing sling with additional fabric on thigh sections for use with the above lifts.	100% Standard polyester, latex free; clips & loops	M, L, LL, XL Color coded
	Extended leg padded sling (+100mm)	For users who require additional fabric and padded support around the thigh area. For use with the above lifts.	100% Standard polyester, latex free, clips & loops	S, M, L, LL, XL, XXL Color coded
	Comfort deluxe sling	Provides additional comfort in pressure areas such as the legs and shoulders. For use with the above lifts.	100% Polyester, spacer fabric, latex free; clips & loops	XS, S, M, L, LL, XL, XXL Color coded
	Toilet sling with head support	Toileting, built-in head support with extra padding under arms.	100% Polyester, spacer fabric, latex free; clips & loops	XS, S, M, L, LL, XL Color coded
	Pediatric	Special elephant pattern fabric and adjustable head support.	100% Standard polyester, spacer fabric, latex free, light blue with printed elephant images; clips & loops	XXS, XS, S Color coded
	Right leg single amputee sling	Suitable for above- or below-knee or total hip amputee patients	100% Standard polyester, latex free; clips & loops	M, L, LL, XL Color coded
	Left leg single amputee sling	Suitable for above- or below-knee or total hip amputee patients.	100% Standard polyester, latex free; clips & loops	M, L, LL, XL Color coded
	Double amputee sling	Suitable for above-knee or total hip double amputee patients.	100% Standard polyester, latex free; clips & loops	XS, S, M, L, LL, XL, XXL Color coded
	Double amputee sling with commode aperture	Commode sling suitable for above-knee or total hip double amputee patients.	100% Standard polyester, latex free; clips & loops	S, M, L, LL, XL, XXL Color coded

Vendor	Sling Name	Details	Material Used	Sizes Available
	Double amputee mesh sling	Suitable for bathing/showing patients who are above-knee or total hip double amputees.	100% Standard polyester mesh, latex free; clips & loops	XS, S, M, L, LL, XL Color coded
	Double amputee mesh sling with commode aperture	Commode sling suitable for bathing/showering patients who are above-knee or total hip double amputees.	100% Standard polyester mesh, latex free; clips & loops	S, M, L, LL, XL Color coded
	Amputee sling with Velcro flap	Suitable for above- or below-knee double amputee users and is applied like a normal sling (without need for log rolling)	100% Standard polyester, latex free; clips & loops	XS, S, M, L, LL, XL Color coded
	General purpose all day sling	Extra thin fabric with wicking action to prevent moisture build-up.	100% Polyester all-day fabric, latex free; clips & loops	XS, S, M, L, LL Color coded
	Double amputee all day sling	Extra thin fabric with wicking action to prevent moisture build-up.	100% Polyester all-day fabric, latex free; clips & loops	XS, S, M, L, LL Color coded
	General purpose all day mesh unpadded sling	Flat mesh can be left under the user or used for bathing/showering.	100% Polyester all day mesh fabric, latex free; clips & loops	XS, S, M, L, LL, XL, XXL Color coded
	Double amputee all day mesh sling	Flat mesh can be left under the user or used for bathing/showering. Suitable for patients who are above-knee or total hip double amputees	100% Polyester all day mesh fabric, latex free; clips & loops.	XS, S, M, L, LL Color coded
	Bariatric loop deluxe padded sling	Reinforced material and stitching in the most stressed areas with extra padding. For use with <i>Tenor</i> and <i>Maxi Sky¹⁰⁰⁰</i> lifts.	100% Standard polyester, spacer fabric, latex free; loops only.	M, L, XL, XXL Color coded
	Bariatric loop deluxe divided leg hammock sling	Reinforced material and stitching in the most stressed areas with extra padding and divided leg often preferred with <i>Tenor</i> and <i>Maxi Sky¹⁰⁰⁰</i> lifts.	100% Standard polyester, spacer fabric, latex free; loops only	M, L, XL, XXL Color coded
	Bariatric loop basic padded sling	Standard sling with padding in the legs. For use with the <i>Tenor</i> and <i>Maxi Sky¹⁰⁰⁰</i> lifts.	100% Standard polyester, latex free; loops only	M, L, XL, XXL Color coded

Vendor	Sling Name	Details	Material Used	Sizes Available
	Bariatric loop basic hammock sling	Reinforced material and stitching in the most stressed areas with extra padding. For use with <i>Tenor</i> and <i>Maxi Sky¹⁰⁰⁰</i> lifts.	100% Standard polyester, latex free; loops only	M, L, XL, XXL Color coded
Guldmann Basic Slings	Basic	Supports whole body excluding head (goes up to neck). For bed to wheelchair transfers.		
	Low	Supports body up to shoulder height (goes under armpits level). For chair-bed transfers.		
	High	Supports whole body including head		
Guldmann Active Slings	Micro	Supports upper body & upper thighs	Polyester	Kids, XS, S, M, L, XL, XXL
	Micro Plus	Supports upper body, side & chest, upper thigh	Polyester	Kids, XS, S, M, L, XL, XXL
	Trainer	Supports chest & shoulder areas, detachable leg straps	Polyester	10-14, XS, S, M, L, XL, XXL
Guldmann Custom Slings	Sit-on	Supports thigh bone & higher on back for persons sitting in sling for a long time.	Net	
	Sit-on high (not suitable for patients with pressure sores)	Supports thigh bone & higher on back for persons sitting in sling for a long time.	Net	
	Amputee	Supports whole body up to shoulder height & pelvis region	Polyester	S, M, L
Horcher	UPG-1. 2 piece quick sling (1 for thoracic, other for both legs)	Wheelchair users	Slip resistant aerotex, mesh or fleece cover	M
Horcher Standard Slings	3 piece quick sling (1 for thoracic, 2 pieces for each leg)	Good for toileting	Mesh/aerotex, fleece cover	M
	Universal Sling	Transfers, bathing, toileting. No head support.	Mesh, nylon, parasilk, padded fabric	XS, S, M, L, XL

Vendor	Sling Name	Details	Material Used	Sizes Available
	Universal with head support	Same as above but with head support.	Mesh, nylon, parasilk, padded fabric, head support.	XS, S, M, L, XL
	Double amputee sling	Full bottomed sling	Mesh, nylon, parasilk	S, M, L
Horcher Comfort Slings	Double amputee sling with head support	Full bottomed sling with head support	Nylon, parasilk, padded fabric, head support, clips	M, L
	Lexa Sling	Head support that cradles body	Mash, nylon, parasilk, padded fabric, head support, clips	XS, S, M, L, XL
	Toileting sling with head support	Open bottomed sling	Nylon, padded fabric, head support, clips	XS, S, M, L, XL
	Toileting sling without head support	Open bottomed sling	Mesh, padded fabric, loops, clips	M, L, XL
Horcher Standing Aid Sling	Raisa corset sling	Goes around thoracic	Nylon, Aerotex, clips	M, L, XL
Molift Inc.	Molift Easy Sling	Padded body and legs. Can be ordered with or without head support.	Polymide material (Cordua), with polyester straps, padded with polyester foam.	XXS, XS, S, M, L, M, XL, XXL Color coded
	Molift Easy Toilet Sling	Padded body and legs; two buckles on waist band; anti-slip surface. Can be ordered with or without head support.	Polymide material (Cordua), with polyester straps, padded with polyester foam.	XXS, XS, S, M, L, M, XL, XXL Color coded
	Molift Easy Amputee Sling	Firm padding; two buckles on waist; use for single or bilateral amputation. Can be ordered with or without head support.	Polymide material (Cordua), with polyester straps, padded with polyester foam.	XXS, XS, S, M, L, M, XL, XXL Color coded
	Molift Basic Bathing Sling	Mesh polyester; same basic layout as Molift Easy sling; multiple positioning loops for adjustment. Can be ordered with or without head support.	Mesh Polymide material (Cordua) with polyester straps.	XXS, XS, S, M, L, M, XL, XXL Color coded

Vendor	Sling Name	Details	Material Used	Sizes Available
	Molift Ambulating Vest	Firm padding on body and legs; twin-belt system; professional mountain climbing straps with a high waist combination with padded groin straps (also suitable for toilet situations).	Polymide material (Cordua), with polyester straps, padded with polyester foam.	S, M, L Color coded
	Molift Easy Raiser Sling	Firmly padded body for active lifts; anti-slip surface.	Polymide material (Cordua), with polyester straps, padded with polyester foam.	
Surehands	Universal/standard	Has a cut-out for toileting, supports whole body, with or without head support	Solid fabric or mesh	
	Hygiene Sling	Toilet transfers		

Sling Types by Function/Task

Function/Task	Sling Type/Category	Criteria	Special Considerations	Manufacturer
Vertical transfers (to and from bed, wheelchair, commode, dependency chair, etc.); toileting; bathing; repositioning in chair; fall rescue	Seated	Patient can tolerate sitting position and has adequate hip & knee flexion.	Consider presence of wounds for sling application and patient positioning. Consider precautions of total hip replacement patients.	ARJO BHM Medical Guldmann Horcher Invacare Liko Surehands Vancare Waverley Glen Wy'East Medical
Toileting, vertical transfers (to and from bed, wheelchair, commode, dependency chair, etc.); functional sit-stand training/support; dressing; pericare	Standing	Patient can grasp and hold handle with at least one hand, has at least partial weight bearing capability, has upper body strength, and is cooperative and can follow simple commands.	Consider presence of wounds for sling application and patient positioning.	ARJO BHM Medical Guldmann Horcher Invacare Liko Surehands Vancare Waverley Glen Wy'East Medical
Lateral transfers (to and from bed, stretcher, shower trolley or gurney); making an occupied bed; toileting; bathing; repositioning in bed; fall rescue	Supine	Patient cannot tolerate sitting position and has restricted hip & knee flexion. Patient can tolerate supine position. Need more than one caregiver.	Do not use if patient has respiratory compromise or if wounds present may affect transfers or positioning.	ARJO BHM Medical Horcher Invacare Vancare Waverley Glen Wy'East Medical
Ambulation training and support	Walking	Partial weight bearing, level of cooperation, consult Dr. & therapist for readiness	Do not use if patient has hypotension or wounds are present that affect transfers and positioning.	ARJO BHM Medical Horcher Liko Waverley Glen Wy'East Medical
Ambulation training and support	Standing	Patient can grasp and hold handle with at least one hand, has at least partial weight bearing capability, has upper body strength, and is cooperative and can follow simple commands.	Consider presence of wounds for sling application and patient positioning.	ARJO BHM Medical Horcher Liko Waverley Glen Wy'East Medical

Function/Task	Sling Type/Category	Criteria	Special Considerations	Manufacturer
Limb support for wound debridement, surgical procedures, bathing	Limb support-lift straps	Sustained holding of any extremity to perform pt. care	Wounds, comfort, circulation, neurovascular and joint considerations, if task is of long duration	Liko Note: lift straps not on web site, please contact manufacturer directly

Manufacturers[↑ TOP](#)

21st Century Scientific: www.wheelchairs.com
Access Care: www.access-care.com
Access Unlimited: www.accessunlimited.com
Activeaid, Inc.: www.activeaid.com
Adden Furniture, Inc.: www.addenfurniture.com
Airpal Patient Transfer Systems: www.airpal.com
Ali-Med, Inc.: www.alimed.com
Alpha Modalities, LLC: www.alphamodalities.com
Altimate Medical, Inc.: www.easystand.com
Amplestuff: www.amplestuff.com
Andermac, Inc.: www.anderlift.com
Andicap: www.andicap.com
Aquatic Access, Inc.: www.aquatic-access.com
ArcoRail System: www.activeforever.com
Arjo, Inc.: www.arjo.com
Arylift, Inc.: www.arycare.com
Assistive Technology, Inc.: www.pvcdme.com
Astir Technologies: www.astirtechnologies.com
BAMS Manufacturing: www.prsbacksaver.com
Barton Medical Corp.: www.bartonmedical.com
Basic American Metal Products: www.basicamerican.com
Bed-Check Corporation: www.bed-check.com
Bedside Assist: www.bedhandles.com
BHM Medical: www.bhm-medical.com
Blue Chip Medical Products: www.bluechipmedical.com
Braun Corp.: www.braunmobility.com
Broda Seating: www.brodaseating.com
Brown Engineering Corp.: www.bedbar.com
Bruno Independent Living Aids: www.bruno.com
Burke Bariatric: www.electropedicbeds.com/Burke-Bariatric.html
Camtec Division of Cambridge Technologies, Inc.: www.camtecproducts.com
Care Catalog Services: www.caremedical.com
Carroll Hospital Group: www.carrollhospitalgroup.com

Chiltern Invadex: www.chilterninvadex.co.uk
Composite Medical Distributors: www.ultraslick.com
ConvaQuip Bariatric Equipment: www.convaquip.com
Dane Technologies: www.danetechnologies.com
DJ Products: www.cartcaddy.com
ErgoSafe Products, LLC: www.ergosafeusa.com
Ergosafe: www.ergosafe.com
ERGOtug (division of NuStar, Inc.): www.ergotug.com
EverMed: www.evermedusa.com
EZ Way: www.ezlifts.com
Flaghouse: www.flaghouse.com
Graham-Field Health Products: www.grahamfield.com
Guldmann, Inc.: www.guldmann.com
Healthcraft Products, Inc.: www.healthcraftproducts.com
Hill-Rom, Inc.: www.hill-rom.com
Horcher Lifting Systems: www.horcherusa.com
Hovertech International: www.hovermatt.com
Huntleigh Healthcare, Inc.: www.huntleigh-healthcare.com
Invacare, Inc.: www.invacare.com
Invacare: www.invacare.com
Invacare Continuing Care Group: www.invacare-ccg.com
Invisible Caregiver Innovations LLC: www.invisiblecaregiver.com
Joerns Healthcare: www.joerns.com
Kinetic Concepts, Inc.: www.kci1.com
Lifestand USA: www.lifestandusa.com
Lift Aid: www.liftaid.com
LiftnWalk LLC: www.liftnwalk.com
Liko North America: www.liko.com
Mangar USA: www.mangarusa.com
Martin Innovations (Martin): www.martininnovations.com
McAuley Medical, Inc.: www.mcauleymedical.com
Medcare Products: www.medcarelifts.com
Medcor Corporation: www.medcor.net
Med-Fit Systems, Inc.: www.medfitsystems.com
Medi Man Rehabilitation Products, Inc.: www.medi-man.com

Medisave (UK) Ltd.: www.medisave.co.uk
Medline Industries, Inc.: www.medline.com
Millennium Medical Products, Inc.: www.mmpliftem.com
Millennium Medical Products: www.mmpliftem.com
Mobility Transfer Systems, Inc.: www.bedhandles.com
Molift Inc.: www.molift.com
New Care Therapies: www.newcaretherapies.com
NOA Medical Industries Inc.: www.noamedical.com
NorAm Patient Products Ltd.: www.norampatientcare.com
Phil-E-Slide: www.phil.e.slide-us.com
Posey Company: www.posey.com
Pride Mobility: www.pridemobility.com
Pro Med: www.pro-med.com.au
Product Design Group: www.prodgroup.com
Rand-Scot, Inc.: www.easypivot.com
RD Equipment, Inc.: www.rdequipment.com
Rehab Seating Systems, Inc.: www.rehabseating.com
RMT Aquatics: www.poollifts.com
Romedic: www.dynamichcs.com
Scan Medical: www.scanmedical.com
SenTech Medical Systems, Inc.: www.sentechnical.com
SizeRIGHT: www.sizeright.com
SIZEWise Rentals, L.L.C.: www.sizewise.net
Slide-Mat: www.slidemat.com
Slider Sheets, Inc.: www.slidersheets.com
SMT Health Systems: www.smthealthsystems.com
Spacepac Industries: www.spacepac.com.au
Span America Medical Systems, Inc.: www.spanamerica.com
Stand Aid of Iowa, Inc.: www.stand-aid.com
Stat Mover: www.statmover.com
Sten-Barr Medical, Inc.: www.stenbarr.com
Stryker Medical: www.med.strykercorp.com
Sunrise Medical: www.sunrisemedical.com
Surehands Lift & Care Systems: www.surehands.com
T.H.E. Medical: www.themedical.com

TFI HealthCare™: www.tfihealthcare.com
THE Medical: www.themedical.com
The Roho Group: www.therohogroup.com
Total Medical Systems, Inc.: www.total-med.com
Transfer Master Products, Inc.: www.transfermaster.com
TriLine Medical LLC: www.trilinemedical.com
TuffCare: www.tuffcare.com
Uplift Technologies, Inc.: www.up-lift.com
Vancare: www.vancare.com
Varilite Seating & Positioning System: www.varilite.com
Waverley Glen: www.waverleyglen.com
Wright Products: www.wrightproductsinc.com
Wy'East Medical: www.wyeastmedical.com